

The eXmark logo is centered at the top of the page. It features the word "eXmark" in a bold, white, sans-serif font. The letter "e" is lowercase and has a small "X" inside it. The letter "X" is lowercase and has a small "mark" inside it. The entire logo is set against a red circular background.

# YOUR CHALLENGES INSPIRE OUR INNOVATIONS

For more than 40 years, Exmark has worked tirelessly to solve your problems through innovation. Our commitment to helping you do better, compete harder and do more in less time has never been stronger. We're in this together.

Our commitment to you is about more than just building mowers. At Exmark, we strive for a complete ownership experience from end-to-end. We're supporting you with not just the innovations to work more efficiently, but the dealer, financing and parts support to make your business profitably sustainable season after season.

Our drive for innovation has never been greater, but our approach remains one grounded in testing, refinement, and results in the field. Innovation is useless if it doesn't have a benefit, so we're laser focused on the innovations that have the most potential to solve real problems you face.

Together with our network of more than 1,600 independent dealers, our goal is to keep your business performing at its peak. So, take on that big job or new client, confident in the knowledge that you have the technology, equipment and support to do the job right.

The work you do is the reason for the work we do at Exmark. We're built for this.



[Exmark.com/innovation](https://Exmark.com/innovation)



# 60V POWER SYSTEM

Developed from our knowledge of gas-powered machines, with the same durability and cut quality you expect from Exmark. Our battery-powered mowers have a versatile power system with higher max performance and onboard intelligence to let you make the most of each charge. Featured on our Commercial 30 V-Series walk-behind and Quest® V-Series zero-turn rider, Exmark mowers utilize the professional-grade 10.0 Ah, 540 Wh Flex-Force batteries for maximum runtime and unmatched durability.

## COMMERCIAL 21 V-SERIES FEATURES

**5-inch Deep Cast Aluminum Cutting Deck**  
2-in-1: Bag and Mulch  
**2 kW Brushless DC Motor**  
Standard with (2) 60V 7.5Ah 405 Wh batteries and rapid charger

up to  
**0.4**  
Acres/Charge  
approx. 40min<sup>6</sup>

**3.5**  
MPH

**2.5**  
Bushels

## COMMERCIAL 30 V-SERIES FEATURES

**4.6-inch Deep Stamped Steel Cutting Deck**  
3-in-1: Bag, Mulch or Side-Discharge  
**3.2 kW Brushless DC Motor**  
Standard with (3) 60V 10.0Ah 540 Wh batteries and rapid charger

up to  
**1.5**  
Acres/Charge  
approx. 80min<sup>6</sup>

**4.2**  
MPH

**2.5**  
Bushels

## QUEST V-SERIES FEATURES

**Electric Series 2 Deck**  
Side Discharge: 42  
**Brushless DC Motor**  
Standard with (4) 60V 10Ah 540Wh batteries and a 6-Pod Charger and option to add two additional batteries

up to  
**1.60**  
Acres/Charge  
approx. 60min<sup>6</sup>

**7.0**  
MPH

**<2**  
Acres

### ONBOARD INTELLIGENCE

Balances and optimizes power, runtime, and overload protection in real time, for peak performance in the toughest, most challenging mowing conditions.

### LOWER NOISE OUTPUT

Exmark's electric mowers operate below the 85dB threshold OSHA uses for hearing protection. These mowers are perfect for HOAs and other quiet zones.

\*Exmark still recommends proper protective equipment for mower operation.

### 60V 6-POD CHARGER

A 12-amp rapid charger enables you to charge up to six batteries to keep you charged and producing. Two charge modes: sequential rapid mode lets you charge a single 10Ah battery to full charge in just 50 minutes; and standard mode that steadily brings all batteries to full charge in unison.

Standard on Quest V-Series. Available as an option for Commercial 30 V-Series and Commercial 21 V-Series models.

3 2026 Electric | exmark.com

Exmark

4



**VERTEX® V-SERIES**  
**FEATURES**

**Electric Series 4 Deck**  
*Side Discharge: 52*

**Power**  
*8 HyperCell batteries for a total of 18.4 kWh*

**Drive Speed Settings**  
*Seven settings allow you to adjust your top end speed*







**LAZER Z V-SERIES**  
**FEATURES**

**Electric Series 4 Deck**  
*Side Discharge: 60*

**Power**  
*10 HyperCell batteries for a total of 23.4 kWh*

**Adapt Technology**  
*Make quick adjustments to optimize quality of cut and performance in wet, overgrown, or lush conditions, or stemmy grasses and weeds.*







# HYPERCELL POWER SYSTEM

The extreme demands of powering commercial stand-on and zero-turn mowers requires a more advanced, robust solution — the HyperCell power system. HyperCell is purpose-built to deliver the power you expect from gas-powered equipment in a quieter, zero engine exhaust emissions electric commercial mower. The future is now, and the power is in your hands. Are you ready?



**THE BEST CELLS**  
HyperCell batteries start with the same high-energy, high-quality battery cells used by leading electric automakers, so you can have confidence in their safety and durability.



**SUPERIOR RELIABILITY AND LONGEVITY**  
We third-party test each of our machines and require each to pass exhaustive environmental and UL testing, so you can be sure your Exmark electric mower will be ready to perform when there's work to be done.



**PATENT-PENDING BATTERY DESIGN AND BATTERY MANAGEMENT SYSTEM (BMS)**  
We pair the state-of-the-art Hypercell batteries with our patent-pending distributed Battery Management System (BMS). Engineered specifically for the demanding needs of Exmark commercial mowers, the BMS enables Exmark electric commercial mowers to run for up to seven hours between charges, even in tough conditions.



# COMMERCIAL 21 X-SERIES

Known for getting the job done faster, and better, Exmark's commercial-grade 21-inch walk-behind mowers deliver an unmatched quality of cut—and years of worry-free service—that have become the industry benchmarks. Recent design features like the patented front height adjustment system and single-point rear height adjust provide even more versatility when mowing.

**PRODUCTIVITY.  
COMMERCIAL DURABILITY.  
EASE OF USE.**

## FEATURES

**5-inch Deep Cast Aluminum Cutting Deck**  
2-in-1: Bag and Mulch

**Commercial-Grade Engines**  
Honda® or Kawasaki®

**Patented Front Height Adjustment System**  
Eliminates pivot-style adjusters, now with improved grips for added comfort on height-of-cut adjustments

**Infinite Speed Control**  
Multi-zone transmission provides infinite speed control from zero to 4.2 mph

**Multiple Blade Options**  
The option of five blade choices gives you the flexibility to customize for your unique cutting conditions



## EASE OF USE

The Commercial 21 has simple, straightforward controls and a lightweight, durable cast aluminum cutting deck, which reduces weight and eases maneuverability.

## THE EXMARK SIGNATURE CUT

The true test of a mower is the cut quality it delivers. The Commercial 21 is engineered to consistently deliver an unmatched quality of cut, whether mulching or bagging. A variety of optional blades let you further optimize performance for your specific cutting conditions.





# COMMERCIAL 30 X-SERIES

If you're looking for even more productivity, but still require the maneuverability and cost effectiveness of a smaller walk-behind, step up to Exmark's Commercial 30. As the lightest weight machine in its class this machine is agile enough to tackle any property. These Commercial 30 mowers deliver up to a 40% increase in cutting efficiency compared to a standard 21-inch mower—so you can cut more grass in less time.

**UNMATCHED PERFORMANCE.  
MANEUVERABILITY.  
COMMERCIAL DURABILITY.**

## FEATURES

**4.6-inch Deep Cutting Deck**  
3-in-1: Bag, Mulch or Side-Discharge

**Commercial-Grade Engines**  
Kawasaki or Rehko®

**Blade Brake Clutch (BBC)**  
Allows the blade to be engaged and disengaged without stopping the engine

**Pivoting Front Wheels**  
Available on select models for increased maneuverability



**PATENTED FRONT HEIGHT  
ADJUSTMENT SYSTEM**  
Eliminates pivot-style adjusters, now with improved grips for added comfort on height-of-cut adjustments



**COMMERCIAL DURABILITY**  
For increased durability in commercial use, the Commercial 30 comes standard with heavy-duty side braces, an engine guard, a metal side-discharge cover and a 1-inch diameter front bumper.

## TOP ACCESSORIES

### Micro-Mulch System

Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your dealer on accessory fit-up for each model.



## QUALITY OF CUT. LONG-LASTING PERFORMANCE. ENHANCED CONTROL SYSTEM.

### FEATURES

**UltraCut™ Series 3 or 4 Deck**  
Side Discharge: 36 | 48 | 52 | 60

**Commercial-Grade Engines**  
Rehko or Kawasaki

**Patented Enhanced Control System**  
Natural, ergonomic hand position helps reduce operator fatigue

**Patented Belt Covers**  
Can be removed without tools for easy debris removal and quick belt access



# TURF TRACER®

The Turf Tracer is Exmark's premium wide-area, walk-behind mower, combining the productivity of larger cutting decks and hydro-drive components with the unmatched quality of a full-floating deck. They are engineered for speed, efficiency and durability, and always deliver a quality of cut that is second to none.



**LONG-LASTING PERFORMANCE**  
These hydro-drive models provide more control, instant response, and precise speed regulation with full-reverse and zero-turn maneuverability for unmatched productivity and durability.



**CONVENIENT DECK LATCH**  
Changing the height of cut has been made easy with the added deck latch. Rather than holding the deck while changing the height of cut, the deck will now lock into place making it easier on operators. (Not available on 36-inch decks.)

### TOP ACCESSORIES

3-Bushel Bagger  
Anti-Scalp Roller  
Equipment Cover  
Micro-Mulch System  
Operator Controlled Discharge  
StandOn  
Turf Striper

Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your dealer on accessory fit-up for each model.



## TURF TRACER® WITH XiQ™ TECHNOLOGY

Following its 2025 debut, the Turf Tracer with XiQ autonomous technology gets smarter for 2026 with more consistent route planning and quicker response to heavy cutting. Pairing our proven autonomous control system with the trustedTurf Tracer walk-behind platform creates a supervised autonomous mower that helps crews do more. Its walk-behind design with a standard stand-on enables fast property mapping, while the mobile app makes managing maps and live status simple.

**QUALITY OF CUT.  
LONG-LASTING PERFORMANCE.  
ENHANCED CONTROL SYSTEM.**

### FEATURES

UltraCut™ Series 4 Deck with Micro-Mulch System  
60

Commercial-Grade Engines  
Rehko

Autonomous Control System  
XiQ Technology package with GNSS+RTK

Integrated Safety System  
Audible and visual alarms aid in safe operation combined with remote stop, collision avoidance, PTO and ground drive monitoring

Ground Drive System  
Engine driven generator with electric wheel motors



### TRUSTED PLATFORM

Industry proven commercial Turf Tracer platform with UltraCut cutting technology where operator can mow in either manual or autonomous mode.



### XiQ TECHNOLOGY

Precise mapping system allows for exceptional after cut appearance. Engine driven generator with electric wheel motors allow for precise repeatability on passes, creating consistent striping and less overlapping. Operators can choose from four available striping patterns.



### TOP ACCESSORIES

Engine Oil Change Kit  
Equipment Cover  
Turf Striper

Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your dealer on accessory fit-up for each model.



## UNMATCHED VERSATILITY. MAXIMUM MANEUVERABILITY. SIGNATURE QUALITY OF CUT.

### FEATURES

**UltraCut Series 3 Deck**  
Side Discharge: 32 | 36

**UltraCut Series 4 Deck**  
Side Discharge: 48 | 52 | 60

**UltraCut Series 6 Deck**  
Side Discharge: 52 | 60 | 72

**Commercial-Grade Engine**  
Kawasaki or Rehko

**Operator Comfort**  
Full-length operator pad

**Serviceability and Accessibility**  
Patent pending removable, tool-less  
operator pad for easy removal

**6.97**  
Acres/Hour<sup>1</sup>  
on 72" Unit

**up to 12.0**  
MPH

**up to 14**  
Gallons

**5 Year**  
Limited Warranty<sup>2</sup>  
X-Series

**1-5**  
Acre Property

**Light**  
Usage  
**Heavy**



# VERTEX<sup>®</sup>

With a complete range of models and sizes from 32-inches to 72-inches, the Vertex is the premier family of stand-on mowers for landscape maintenance professionals. From compact Vertex E-Series, mid-size Vertex S-Series and large-frame Vertex X-Series models, there's a Vertex that's right for your exact needs. Superior cut quality. Maximum productivity. Minimum maintenance. Vertex is purpose-built to make you more productive and profitable.



**LOW-MAINTENANCE DESIGN**  
Vertex models are designed to run all season without maintenance, virtually eliminating productivity killing in-season downtime. And standard semi-pneumatic caster wheels eliminate caster flats.



**QUALITY OF CUT**  
Each Vertex stand-on mower is engineered to deliver Exmark's Signature cut quality, so you can count on exceptional finish results every time.

### TOP ACCESSORIES

Equipment Cover  
LED Light  
Micro-Mulch System  
Operator Control Discharge (Hand or Foot)  
Trash Container

Turf Striper  
XL24Tire (X-Series)  
UltraVac Collection System, 2-Bag (X-Series)  
Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your dealer on accessory fit-up for each model.



## PREMIUM RESIDENTIAL RIDER. PROFESSIONAL-GRADE CUT QUALITY. SUPERIOR COMFORT AND VALUE.

### FEATURES

#### Series 2

Side Discharge: 42 | 50 | 54

Engine  
Exmark

#### Commercial-Grade Tires

Front caster tires and rear drive tires provide increased traction for superior handling

#### Foot-Lift Assist

Standard on S-Series to help ease lifting and lowering the cutting deck. Optional on E-Series



S-Series shown with optional armrests

# QUEST®

No matter the job, it's always about using the right tools to do it right. So, if you're looking for professional-grade cut quality and performance in a premium residential zero-turn rider, look no further than Exmark's Quest mower lineup. Once in the seat, you'll experience more commercial-grade features, comfort and durability, for less.



### COMMERCIAL-GRADE FEATURES

Exmark's Quest is a premium entry-level zero-turn mower. The proven commercial features have been adapted for consumer use including the tires and fabricated deck.



### LESS TIME MOWING

Quest mowers offer the value you need as a homeowner. Primarily used for your own property, you need the power, performance, comfort and fuel efficiency of a commercial mower.

## TOP ACCESSORIES

2-Bag Collection System  
Assist Bar  
Engine Maintenance Kit  
Equipment Cover  
LED Light  
Micro-Mulch System  
ROPS  
Turf Striper

Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your dealer on accessory fit-up for each model.



# RADIUS®

Redesigned for 2026, our E-Series and S-Series zero-turn mowers deliver the performance and durability you expect from an Exmark paired with a bold new look. Large drive tires and upgraded operator seats offer a smoother, more comfortable ride. And with a choice of cutting decks and powerful Kawasaki engines, the new Radius models stand ready to tackle your toughest mowing jobs. If you demand professional-grade performance and longevity, Radius is the clear choice.

## LOW MAINTENANCE. CONSISTENT PERFORMANCE. UPDATED STYLING.

### FEATURES

#### Series 2+ on E-Series

Side Discharge: 48 | 54 | 60

#### UltraCut Deck Technology on S- & X-Series

Side Discharge: 48 | 52 | 60

#### Engine

Kawasaki

#### Easy to Service


Toolless removable floor pan and belt shields

#### Full-Suspension Seating System

S- & X-Series

#### Standard Tow Hitch

Allows for quick attachment of light implements and carts with an 80-pound capacity



### SERVICEABILITY

The floor pan and belt shields remove easily without tools, making it easier to access the belts and top of the cutting deck for maintenance. Plus, a standard jack receiver on the Radius enables easier service of the underside of the deck when combined with the optional jack.

### AVAILABLE WITH ADAPT

The cutting decks of 2026 Radius models can be upgraded with Exmark's patented Adapt deck rake adjustment technology. Adapt makes it easy to optimize cutting deck performance in any conditions. Adjustments can be made easily without tools, from the operator seat.

## TOP ACCESSORIES

Adapt

Engine Maintenance Kit

LED Light

Micro-Mulch System

Operator Controlled Discharge

Sun Shade

Turf Striper

UltraVac Collection Systems

Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your dealer on accessory fit-up for each model.



## UNMATCHED PERFORMANCE. LEGENDARY DURABILITY. MAXIMUM COMFORT & PRODUCTIVITY.

### FEATURES

#### UltraCut Deck Technology

Side Discharge: 48 | 52 | 60 | 72  
Rear Discharge: 60 | 72 | 96

#### Commercial-Grade Engines

Rehko, Kawasaki or Vanguard®

#### Hydro-Drive System

Eliminated hoses and added tougher bearings, an improved cooling system and increased oil capacity.

#### Adapt Technology

Make quick adjustments to optimize quality of cut and performance in wet, overgrown, or lush conditions, or stemmy grasses and weeds. Standard on all X-Series models, excluding 96-inch, or available as an add-on for your E- or S-Series machine.



# LAZER Z®

For over 30 years, Exmark's Lazer Z has been considered the gold standard in commercial-grade, zero-turn excellence. Pro cutters and homeowners have aspired to experience their superior cut quality, productivity, durability and performance. Built for easier maintenance and longer life, our Lazer Z mowers are simpler, tougher and easier to operate.



#### THE SIGNATURE CUT

We've optimized the blade-tip speed of the UltraCut decks to perfect the distance and uniformity of clipping discharge. All the components in our deck work together to deliver the signature Exmark look, cut after cut. Job after job.



#### MAINTENANCE MADE EASY

Lazer Z mowers are engineered to have fewer things to inspect, lubricate, adjust and repair. With only four grease points and longer service intervals, thanks to the Oil Guard System (select models), your Lazer Z is always ready for the job.

## TOP ACCESSORIES

Adapt

Air Ride Suspension

LED Light

Micro-Mulch System

Operator Controlled Discharge

Sun Shade

Tractus Tire

Turf Striper

UltraVac Collection Systems

Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your dealer on accessory fit-up for each model.

## BUILT FOR THE LAZER Z

### OIL GUARD SYSTEM

With extended oil change intervals of 500 hours, the Lazer Z X-Series with Oil Guard minimizes downtime and saves up to 60-percent on oil maintenance costs. Oil Guard-equipped engines also run 20-30 degrees cooler, for increased oil stability and longer engine life. The unique design enables faster, easier oil changes without tools or funnels.

### COST OF OWNERSHIP

Since initial cost is just a fraction of a mower's total cost over its lifetime, each Lazer Z model is engineered to minimize service and maintenance costs over time. From the fuel savings of the available EFI-equipped engines to the sealed, no-grease caster bearings and unitized hydro pump and wheel motors, each Lazer Z is designed to maximize uptime and reduce total cost of ownership.

### TRACTUS™ AIRLESS DRIVE TIRE

With an all-new design, our Tractus airless drive tires feature increased load capacity, making them suitable for a wider range of applications. In addition to eliminating flat tires, Tractus delivers superior durability, reliability and traction, with a larger contact patch and five times longer lifespan compared to pneumatic drive tires. Available on select Lazer Z and Vertex X-Series models.

### ADAPT™ TECHNOLOGY

Available on all Lazer Z models, excluding 96-inch, our exclusive Adapt technology makes it easy to optimize cut quality for any mowing conditions. Adapt enables the operator to make deck rake adjustments easily without tools, from the operator seat, to customize deck performance.

### 96-INCH GAS-POWERED LAZER Z


Powered by a RED Technology-equipped Rehlko Command PRO EFI air-cooled engine, the 96-inch Lazer Z X-Series features a durable UltraCut Flex Wing cutting deck. With a 48-inch center deck and two 24-inch floating wing decks, it makes quick work of the largest, toughest jobs, while delivering Exmark's signature cut quality.

### SUSPENSION PLATFORM

The suspended operator platform boosts productivity with enhanced comfort. Adjustable coil-over hydraulic dampers minimize bumps and vibration, and is easy to adjust for operator size and weight.

### NEXT-GENERATION RED TECHNOLOGY

Next-generation RED Technology enhances efficiency, usability, and durability with patented technology. Its LCD display provides an intuitive interface for monitoring mower functions, machine health, and performance data.



### LAZER Z SEATING SYSTEM

At Exmark, we've taken comfort to a whole new level, becoming experts in the game-changing science of ergonomics. Our scientific methodology utilizes pressure mapping to analyze the fatigue factors of vertical and lateral motion, driving the development of mower comfort. We know that if operators are more comfortable, their businesses will be more profitable.



**E-Series**  
Deluxe adjustable suspension  
1.5-inch travel  
Elastomeric vibration control (EVC) stretch fabric  
Patented ISO-mount isolation system, optional accessory



**S-Series**  
Deluxe adjustable suspension  
3-inch travel  
Elastomeric vibration control (EVC) stretch fabric  
Patented ISO-mount isolation system, optional accessory  
Wider seat



**X-Series**  
Deluxe adjustable suspension  
3-inch travel  
Elastomeric vibration control (EVC) stretch fabric  
Patented ISO-mount isolation system, standard  
Wider seat



## PREMIUM DIESEL PERFORMANCE. LEGENDARY DURABILITY. MAXIMUM COMFORT & PRODUCTIVITY.

### FEATURES

#### UltraCut Deck Technology

Side Discharge: 60 | 72  
Rear Discharge: 72 | 96 | 144

#### Commercial-Grade Engines

Yanmar®

#### Hydraulic Deck Lift

Provides for easy cutting height adjustment and quick transport

#### Reduced Maintenance

With an efficient and robust power-train system, these machines have less maintenance and longer service intervals. The tool-less belt access and removable floor pan makes servicing easy



# LAZER Z DIESEL

For a variety of reasons, the diesel-powered Lazer Z mowers may be the right choice for your cutting needs. They make quick work of the largest, toughest jobs and raise the bar for cut quality, operator comfort, fuel efficiency and ease of handling. Our large 144-inch flex wing deck is capable of mowing more than 11.5-acres per hour,<sup>1</sup> making it the most productive mower Exmark has ever built.



#### BUILT FOR LARGE PROPERTIES

The robust engine power and large deck sizes make these mowers Exmark's most productive diesel machines ever. They are a great solution for universities, municipalities, and other sizable properties yet nimble enough to maneuver smaller landscapes.



#### ENHANCED OPERATOR COMFORT

Operator comfort is critical to productivity. That's why we've worked so hard to reduce noise and vibration, and placed the operator seat in full suspension on ISO mounts—so you can go for hours.

### TOP ACCESSORIES

LED Light

Micro-Mulch System

Operator Controlled Discharge

Sun Shade

Trash Container

Turf Striper

UltraVac Collection Systems

Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your dealer on accessory fit-up for each model.



# NAVIGATOR

The Navigator, Exmark's signature fine-cut machine, has a patented fill reduction and large diameter blower allowing the operator to vacuum a perfectly mowed lawn in record time. The fill reduction system allows operators to quickly switch from dedicated bagging mode where they are collecting 100 percent of the clippings, to a fill-reduction mode where they are collecting half of the clippings while mulching the other half of the clippings. The center discharge deck is designed for two-sided trimming to more accurately control discharge, keeping flowerbeds and walkways free of clippings.

**SIGNATURE CUT QUALITY.  
VACUUMING PERFECTION.  
RESPONSIVENESS AND CONTROL.**

## FEATURES

**Full-Floating Fabricated Deck**  
Rear Discharge: 42 | 48

**Commercial-Grade Engines**  
Rehko

### Easy to Service

*Gas tank swings open for engine accessibility while drive belts are easily removed and installed without tools*

### Airflow flexibility

*The deck collection chute is a full six inches in diameter that combined with a large diameter blower, generates more airflow for better vacuuming and debris collection*



### OPERATOR COMFORT

The effortless "Feather Touch" steering controls, combined with a bolstered high-back seat, foam padded cushion and rubber seat isolators, add up to a comfortable ride that reduces operator fatigue—for all-day operation.



### DECK LATCH

Changing the height of cut has been made easy with the added deck latch. Rather than holding the deck while changing the height of cut, the deck will now lock into place making it easier on operators.

## TOP ACCESSORIES

Automatic Door Opener

Dump Tubs

LED Light

Micro-Mulch System

Narrow Drive Tire

Powered Dump

Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your dealer on accessory fit-up for each model.

## BUILT FOR A SIGNATURE CUT

When it comes to durability, Exmark's UltraCut decks are among the strongest in the industry and set the standard for productivity and quality of cut. These UltraCut mowing systems are the ultimate in a floating deck for efficiency, quality of cut and rugged durability. Regardless of which one you choose, your mower will deliver the cut quality, durability and longevity you expect from Exmark.



### SERIES 2

Featured on our Quest E- and S-Series models, Series 2 decks are fabricated and welded of high-strength steel and optimized to deliver a professional cut quality in residential applications.

### SERIES 2+

The durable Series 2+ deck is engineered with 6-bolt spindles, a 4.5-inch deck depth, and high-performance discharge chute. Add in double-capture anti-scalp wheels and you get a quality of cut that could have only come from an Exmark.

### ULTRACUT™ SIDE DISCHARGE

With formed and welded construction, sealed, maintenance-free spindle bearings and a full-floating design that precisely follows ground contours, UltraCut side-discharge cutting decks are designed to eliminate maintenance and reduce downtime. All components are engineered to work together to deliver the Exmark Signature quality of cut.

### ULTRACUT™ REAR DISCHARGE

The UltraCut Rear-Discharge cutting deck has counter-rotating blades for enhanced clipping dispersion with the ability to trim on both sides of the deck. Standard black side bumpers can be replaced with optional white bumpers, which are perfect for not leaving marks.

### ULTRACUT REAR DISCHARGE WITH FLEX WINGS

Our rear discharge with flex wing decks are the ultimate mowing systems when productivity matters, with available 96- or 144-inch widths. The Flex Wings are capable of articulating up to 20° up and 15° down for precise contouring, then fold hydraulically for easy transport. These decks are engineered to not just be more productive, but also deliver the durability and Signature cut quality you expect from Exmark.

### ELECTRIC SERIES

Our Electric Series 2 and Series 4 side-discharge cutting decks are fabricated and welded of high-strength alloy steel for commercial durability and our signature cut quality. Belt-free, high-torque electric spindles with cast aluminum housings maximize durability and minimize maintenance.

DECK	Used On	Deck Depth	Cutter Housing	Spindle Shaft	Bearings		Bag	Mulch	Discharge Direction	Discharge Chute	Belt Covers
<b>SERIES 2</b>	Quest	4.0"	5.50"	17mm	Sealed, Maintenance-Free	Yes	Yes	Side	Flexible	Composite	High-Strength Polymer Belt Covers
<b>SERIES 2+</b>	Radius E-Series	4.5"	7.75"	25mm							
<b>ULTRACUT SERIES 3</b>	Turf Tracer S-Series		7.30"	17mm							
<b>ULTRACUT SERIES 4</b>	Vertex E-Series	5.0"								High-Strength Patented Polymer Belt Covers	
	Radius S-Series										
<b>ULTRACUT SERIES 6</b>	Turf Tracer X-Series Vertex S-Series Radius X-Series Lazer Z E- & S-Series Lazer Z Diesel	5.5"	7.75"	25mm	Sealed, Maintenance-Free Dual, Double-Row	No	Yes	Rear	n/a	High-Strength Patented Polymer Belt Covers	
<b>ULTRACUT REAR DISCHARGE</b>	Lazer Z S-Series Lazer Z Diesel										
<b>ULTRACUT REAR DISCHARGE W/ FLEX WINGS</b>	Lazer Z X-Series Lazer Z Diesel	5.5"	7.75"	25mm	Sealed, Maintenance-Free Dual, Double-Row						Metal
<b>ELECTRIC SERIES 2</b>	Quest V-Series	4.0"	7.25"	25mm	Sealed, Maintenance-Free	Yes	Yes	Side	Composite	n/a	
<b>ELECTRIC SERIES 4</b>	Vertex V-Series Lazer Z V-Series	5.4"	9.00"	25mm	Sealed, Maintenance-Free	Yes	Yes	Side	Flexible	n/a	

## BUILT FOR COLLECTING

When it comes to collection systems, there's no 'one size fits all' solution. That's why we engineer our collection systems for the specific needs of your Exmark mower. Whether you need a non-powered bagger for residential use, or a commercial-grade UltraVac powered collection system to power through the toughest lawn clean up, Exmark has you covered.

### 2-BAG COLLECTION SYSTEM NON-POWERED

Fits: Quest

- Larger-diameter, smooth-bore discharge tubes
- Sturdy, large-capacity collection bags
- Durable, injection-molded hood
- Quick-attach deck boot
- Streamlined design for better trimming
- Low profile to get under obstacles easier

### 2-BAG COLLECTION SYSTEM POWERED

Fits: Radius and Vertex X-Series 52/60

- Cloth mesh bags with reinforced bottoms
- Full 8.0-bushel commercial capacity
- 5-blade steel impellers with sealed non-greaseable bearings

### ULTRAVAC 2- OR 3-BAG COMMERCIAL-GRADE POWERED COLLECTION SYSTEM

Fits: Lazer Z, Vertex X-Series and Radius (2-bag only)

- Switch between bag discharge and side discharge with quick-attach
- Less clogging with larger-diameter tubes
- Compact design minimizes trailer space for easy maneuverability
- Dust reduction with sealed hoods
- Two or three UltraVac discharge units (8 or 12 bushels)

### ULTRAVAC QUICK DUMP SYSTEM COMMERCIAL-GRADE POWERED COLLECTION SYSTEM

Fits: Lazer Z (excludes Diesel)

- Discharges grass quickly with one simple motion of the release lever
- Features a commercial-grade steel and polyethylene hopper with rear-discharge door (7 bushels or 11 bushels)

### 3-BUSHEL BAGGER

Fits: Large walk-behinds, stand-ons and most riders

- Lightweight, easy to attach



Lazer Z Diesel



UltraVac 2- or 3-Bag



UltraVac Quick Dump System



3-Bushel Bagger



Radius 2-Bag Collection System - Powered

Quest 2-Bag Collection System - Non-Powered

# BUILT FOR PERFORMANCE

Product	Power	Deck Size	Deck	Fuel Capacity	Transmission		Ground Speed	Acres Per Hour <sup>1</sup>	Cutting Height	Blade Engagement	Front Casters	Drive Tires	Bag Capacity	Warranty <sup>2</sup>						
 <b>COMMERCIAL 21 X-SERIES</b>	Honda GXV160	21"	2-in-1: Bag and Mulch Single Blade	1 Gallon	Variable Speed		Up to 4.2 mph	.71	1.0" to 4.5" Single-Point, Rear Height Adjust Patented Front Height Adjust System	Zone Start	n/a	9 x 2.25	2.5-Bushels	1-Year Limited <sup>2</sup>						
	Kawasaki FJ180V KAI									Zone Start or BBC				2-Year Limited <sup>2</sup>						
	Flex-Force Power System 60V 7.5Ah 405 Wh Battery and Rapid Charger 2kW Brushless DC Motor	30"	3-in-1: Bag, Mulch, Side- Discharge Two Blades	n/a			Up to 3.5 mph	.40 per charge		Zone Start				1-Year Limited <sup>2</sup>						
	Kawasaki FJ180V KAI									BBC		10 x 3.0		2-Year Limited <sup>2</sup>						
	Rehko CV200 Command PRO <sup>®</sup>						Up to 3.8 mph	.92	1.5" to 5.0" Single-Point, Rear Height Adjust Patented Front Height Adjust System	Zone Start				10 x 3.0						
	Flex-Force Power System 60V 10.0Ah 540Wh Battery and Rapid Charger 2kW Brushless DC Motor													2-Year Limited <sup>2</sup>						
 <b>TURF TRACER S-SERIES</b>	18.5 HP <sup>3</sup> Kawasaki FS600V V-Twin	36"	UltraCut™ Series 3	5.0 Gallons	Hydraulic Pump and Wheel Motor		Up to 6.2 mph	1.80 2.40 2.60	1.5" to 4.5" 0.5" increments	Electromagnetic Clutch	9 x 3.5-4 Semi-Pneumatic	16 x 6.5-8	Optional 3-Bushel Bagger	2-Year Limited <sup>2</sup>						
	14.5 HP <sup>3</sup> Kawasaki FS481V V-Twin	48"										16 x 7.5-8								
	18.5 HP <sup>3</sup> Kawasaki FS600V V-Twin	52"																		
	23.5 HP <sup>3</sup> Kawasaki FX691V V-Twin 25.5 HP <sup>3</sup> Rehko ECV730 Command PRO <sup>®</sup> EFI	52"	UltraCut Series 4				Up to 6.75 mph	2.83 3.27			11 x 4.0-5 Semi-Pneumatic	18 x 8.5-8								
		60"																		
	26.5 HP <sup>3</sup> Rehko ECV749 Command PRO <sup>®</sup> EFI	60"					Up to 6.15 mph	2.97	1.0" to 4.5" 0.25" increments			n/a	4-Year or 1,250 Hours, Limited No Hour Limit First Two Years <sup>2</sup>							
 <b>VERTEX E-SERIES</b>	18.5 HP <sup>3</sup> Kawasaki FS600V V-Twin	32"	UltraCut Series 3	5.0 Gallons	Hydraulic Pump and Wheel Motor		Up to 7.5 mph	1.94 2.18	1.0" to 4.5" in 0.25" increments	Electromagnetic Clutch	9 x 4.50-5 Semi-Pneumatic	21 x 7.0-10	Optional 3-Bushel Bagger	4-Year or 750 Hours, Limited No Hour Limit First Two Years <sup>2</sup>						
	25 HP <sup>3</sup> Rehko ECV740 Confidant <sup>®</sup> EFI 27 HP <sup>3</sup> Rehko EJT750 Command PRO <sup>®</sup> EFI	48"																		
	23.5 HP <sup>3</sup> Kawasaki FX730V V-Twin 25 HP <sup>3</sup> Rehko ECV740 Command PRO <sup>®</sup> EFI	52"	UltraCut Series 4				Up to 8.5 mph	3.29 3.56 4.11			13 x 5.0-6 Semi-Pneumatic	20 x 10-8								
		60"																		
	35 HP <sup>3</sup> Kawasaki FX1000V V-Twin 38.5 HP <sup>3</sup> Kawasaki FX1000V EFI V-Twin	52"	UltraCut Series 6	14.0 Gallons			Up to 12.0 mph	5.03 5.81 6.97			15 x 6.0-6 Semi-Pneumatic	24 x 9-12	Optional UltraVac 2-Bag on 52"/60" X-Series Only	5-Year or 1,500 Hours, Limited No Hour Limit First Two Years <sup>2</sup>						
		60"																		
		72"																		
 <b>VERTEX V-SERIES</b>	HyperCell™ 18.4 kWh Battery Pack	52"	Electric Series 4	n/a	Proprietary Electric Drive		Up to 10.0 mph	4.19	Electric	13 x 5.0-6 Semi-Pneumatic	20 x 10-10			4-Year or 1,250 Hours, Limited No Hour Limit First Two Years <sup>2</sup>						

# BUILT FOR PERFORMANCE



Product	Power	Deck Size	Deck	Fuel Capacity	Transmission		Ground Speed	Acres per Hour <sup>1</sup>	Cutting Height	Seat	Front Casters	Drive Tires	Non-Powered	Powered	UltraVac 2-Bag	UltraVac 3-Bag	UltraVac QDS	Warranty <sup>2</sup>
QUEST E-SERIES	22 HP <sup>3</sup> Exmark	42"	Series 2 Fabricated	3.0 Gallons	ZT-2100		Up to 7.0 mph	2.37	1.5" to 4.5" 0.5" increments	Foam-Padded High Back, Optional Armrests	11 x 4.0-5 Smooth Pneumatic	18 x 7.5-8	•				30-Day Commercial, Limited 3-Year Consumer, Limited <sup>2</sup>	
		50"			ZT-2200			2.82			11 x 6.0-5 Smooth Pneumatic	18 x 9.5-8	•					
	24 HP <sup>3</sup> Exmark	54"	Electric Series 2	n/a	Proprietary Electric Drive			3.05			Two-Toned, Foam-Padded High Back Optional Armrests	13 x 6.5-6 Smooth Pneumatic	20 x 10-10	•				
	Flex-Force Power System 60V 10.0Ah 540Wh Battery and 6-Pod Charger Brushless DC Motor	42"						1.60 per charge			Foam-Padded High Back, Optional Armrests	11 x 4.0-5 Smooth Pneumatic	18 x 7.5-8	•				30-Day Commercial, Limited 3-Year Consumer, Limited <sup>2</sup>
	23 HP <sup>3</sup> Kawasaki FR691V V-Twin	48"	Series 2+	7.0 Gallons	ZT-2800		Up to 8.0 mph	3.10	1.5" to 5.0" 0.25" increments	18" Commercial High Back	13 x 6.5-6 Pneumatic	22 x 9.5-12	•	•			3-Year or 500 Hours, Limited <sup>2</sup>	
		52"			ZT-3100			3.35					•	•				
	24 HP <sup>3</sup> Kawasaki FR730V V-Twin	60"			ZT-3400			3.87					22 x 10.5-12	•	•			
	23 HP <sup>3</sup> Kawasaki FR691V V-Twin	48"	UltraCut Series 3	9.5 Gallons	ZT-4400		Up to 9.0 mph	3.48	20" Premium Full Adjustable Seat Suspension	23 x 9.5-12	23 x 10.5-12	23 x 9.5-12	23 x 10.5-12	•			4-Year or 500 Hours, Limited <sup>2</sup>	
		52"			12cc			3.77						23 x 10.5-12	•			
	24 HP <sup>3</sup> Kawasaki FR730V V-Twin	60"			16cc			4.35						23 x 9.5-12	•			
	22 HP <sup>3</sup> Kawasaki FX691V V-Twin	52"	UltraCut™ Series 4	12.0 Gallons	Kanzaki KPS-18T		Up to 10.0 mph	4.83						23 x 10.5-12	•			4-Year or 750 Hours, Limited <sup>2</sup>
	23.5 HP <sup>3</sup> Kawasaki FX730V V-Twin	60"												24 x 9.5-12	•			
LAZER Z E-SERIES	23.5 HP <sup>3</sup> Kawasaki FX730V V-Twin	48"	UltraCut™ Series 4	9.5 Gallons	ZT-4400		Up to 11.0 mph	4.25	1.0" to 5.5" in 0.25" increments	Deluxe Adjustable Suspension - 1" Travel	13 x 6.5-6 Pneumatic	24 x 9.5-12	•				5-Year or 1,250 Hours, Limited No Hour Limit First Two Years <sup>2</sup>	
	26 HP <sup>3</sup> Vanguard 810 V-Twin	52"			ZT-4400			4.61					24 x 12-12	•	•	•		
	25.5 HP <sup>3</sup> Kawasaki FX801V V-Twin	60"			12cc			5.32					24 x 12-12	•	•	•		
	23.5 HP <sup>3</sup> Kawasaki FX730V V-Twin				16cc								23 x 9.5-12	•	•	•		
	25.5 HP <sup>3</sup> Kawasaki FX801V V-Twin	52"	UltraCut Rear Discharge	12.0 Gallons	ZT-4400		Up to 10.0 mph	4.19	1.0" to 5.5" in 0.25" increments	13 x 5.0-6 Semi-Pneumatic	23 x 9.5-12	24 x 12-12	•	•	•		5-Year or 1,250 Hours, Limited No Hour Limit First Two Years <sup>2</sup>	
	26.5 HP <sup>3</sup> Rehliko ECV749 Command PRO EFI	60"			ZT-4400			4.84					24 x 12-12	•	•	•		
	25.5 HP <sup>3</sup> Kawasaki FX801V V-Twin	72"			ZT-4400			5.80					24 x 12-12	•	•	•		
	31 HP <sup>3</sup> Kawasaki FX921V V-Twin	60"			ZT-4400			4.84					24 x 12-12	•	•	•		
	27 HP <sup>3</sup> Kawasaki FX850V V-Twin	52"	UltraCut Series 6	12.0 Gallons	ZT-4400		Up to 11.5 mph	5.80	1.0" to 5.5" in 0.25" increments	13 x 6.5-6 Semi-Pneumatic	23 x 9.5-12	24 x 12-12	•	•	•		5-Year or 1,500 Hours, Limited No Hour Limit First Two Years <sup>2</sup>	
	27 HP <sup>3</sup> Kawasaki FX850V V-Twin	60"			ZT-4400			5.80					24 x 12-12	•	•	•		
	31 HP <sup>3</sup> Kawasaki FX921V V-Twin	72"			ZT-4400			5.56					24 x 12-12	•	•	•		
	34.5 HP <sup>3</sup> Kawasaki FX820V EVO V-Twin	60"			ZT-4400			6.68					24 x 12-12	•	•	•		
LAZER Z X-SERIES	37 HP* Vanguard BIG BLOCK™ V-Twin EFI	52"	UltraCut Rear Discharge	12.0 Gallons	ZT-4400		Up to 10.5 mph	8.13	1.0" to 5.0" in 0.25" increments	Deluxe Adjustable Suspension, 3" Travel with Seat Isolation System	13 x 6.5-6 Semi-Pneumatic	24 x 12-12	•	•	•		5-Year or 1,500 Hours, Limited No Hour Limit First Two Years <sup>2</sup>	
	38 HP <sup>3</sup> Rehliko ECV938 Command PRO EFI with electronic throttle body (ETB)	60"			ZT-4400			5.32					24 x 12-12	•	•	•		
	31 HP <sup>3</sup> Kawasaki FX921V V-Twin	72"			ZT-4400			5.32					24 x 12-12	•	•	•		
	34.5 HP <sup>3</sup> Kawasaki FX820V EVO V-Twin	96"			ZT-4400			5.32					24 x 12-12	•	•	•		
	37 HP* Vanguard BIG BLOCK V-Twin EFI	72"	UltraCut Rear Discharge w/ Flex Wings	12.0 Gallons	ZT-4400			5.32					24 x 12-12	•	•	•		
LAZER Z V-SERIES	38 HP <sup>3</sup> Rehliko ECV938 Command PRO EFI with RED Technology	96"			ZT-4400			5.32					24 x 12-12	•	•	•		
	HyperCell™ 23.4 kWh Battery Pack	60"	Electric Series 4	n/a	Proprietary Electric Drive	Kanzaki KPS-18T	Up to 11.0 mph	5.32	1.0" to 5.0" in 0.25" increments	Premium Suspension w/ Seat Isolation System	15 x 6.0-6 Semi-Pneumatic	26 x 12-12	•	•	•		5-Year or 1,500 Hours, Limited No Hour Limit First Two Years <sup>2</sup>	
	25 HP <sup>4</sup> Yanmar® 3TNV80FT 1.3-Liter Turbo with RED Technology	60"	UltraCut Series 4	ZT-4400	5.32			26 x 12-12					•	•	•			
	37 HP <sup>4</sup> Yanmar 3TNV88C 1.6-Liter Common Rail with RED Technology	72"	UltraCut Rear Discharge	ZT-4400	6.39			26 x 12-12					•	•	•			
	43.5 HP <sup>4</sup> Yanmar 3TNV86CT 1.6L Common Rail Turbocharged Diesel with RED Technology	96"	UltraCut Rear Discharge w/ Flex Wings	ZT-4400	9.68			26 x 12-12					•	•	•			
LAZER Z DIESEL	Up to 10.0 mph; 17.0																	

# THE EXMARK ADVANTAGE

## HERE FOR YOU FROM PURCHASE TO MAINTENANCE



**Exmark Fleet Programs** benefit loyal multi-unit commercial customers. We offer multiple program levels to help contractors of virtually any size. The **Mini Fleet** program offers smaller contractors a one-time discount on a single qualifying purchase. **Fleet Advantage** customers enjoy extended fleet benefits on every qualifying purchase, and with the **Fleet Renewal** plan, Fleet Advantage customers can extend their benefits with their continued loyalty. Public service agencies including municipalities, governments, non-profits, and schools can save on Exmark products by purchasing them through **OMNIA Partners'** cooperative purchase program. The Exmark **Honors Program** recognizes the hard work and dedication of our military personnel and first responders, giving qualifying customers an off-invoice discount on the purchase of select Exmark mowers. And through our partnership with **Equine & Ranch Rewards**, equine and cattle owners can receive special savings on Exmark equipment to maintain their property.

**OMNIA**  
PARTNERS



With every important investment, comes important maintenance and Exmark has you covered. We are the only company that owns the exact part specification for your machine that will help your machine maintain its Exmark's legendary quality and reliability. To purchase OEM parts, visit one of our 1600+ dealers or shop 24/7/365 online where the parts ship directly to you.

Buy online at [Shop.exmark.com](http://Shop.exmark.com)

## EXMARK MFG. CO., INC.

415 Industrial Row | Beatrice, NE 68310 | 402.223.6300 | [www.exmark.com](http://www.exmark.com)      

<sup>1</sup> Many manufacturers use 100% efficiency ratings for sale purposes. Exmark believes an 80% efficiency rating is more representative of actual mowing conditions, as it allows for turns and overlapping. Formulas for calculating acres per hour: **100% efficiency: MPH x width of cut ÷ 99 = acres per hour** | **80% efficiency: MPH x width of cut ÷ 124 = acres per hour**

<sup>2</sup> For complete details, visit [exmark.com](http://exmark.com) or your local dealer.

<sup>3</sup> The gross horsepower of these gasoline engines was laboratory rated at 3600 rpm by the engine manufacturer in accordance with SAE J1940 or SAE J2723. As configured to meet safety, emission and operating requirements, the actual engine horsepower on these mowers may be significantly lower.

<sup>4</sup> The gross horsepower of the 3TNV80FT was laboratory rated at 2600 rpm; the 3TNV88C was laboratory rated at 3000 rpm by the engine manufacturer in accordance with SAE J1995. As configured to meet safety, emission and operating requirements, the actual engine horsepower on these mowers may be significantly lower.

<sup>5</sup> Based on controlled laboratory testing of product. Runtime varies with load.

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligation. For additional product information including operation manuals, safety materials and warranty details, please visit [www.exmark.com](http://www.exmark.com) or see your dealer for complete details.

Exmark®, Lazer Z®, Metro®, Navigator®, Quest®, Radius®, Turf Tracer® and Vertex® are registered trademarks. Built For This, UltraVac™ and UltraCut™ are trademarks of Exmark Mfg. Co., Inc. Rehko® and Command PRO® are registered trademarks of Discovery Energy, LLC. Kawasaki® is a registered trademark of Kawasaki Motors Corp. Vanguard® is a registered trademark of Briggs and Stratton. Oil Guard System™ is a trademark of Briggs and Stratton. Hydro-Gear® is a registered trademark of Hydro-Gear.

© 2026 Exmark Manufacturing Company, Inc. All rights reserved. Printed in the U.S.A. 2026.

146-7988

