



## 2019 ZERO-TURN RIDERS






**QUEST**

**PREMIUM RESIDENTIAL RIDER.  
PROFESSIONAL-GRADE CUT QUALITY.  
SUPERIOR COMFORT AND VALUE.**

### CUTTING SYSTEM



#### SERIES 2 CUTTING DECK

Series 2 fabricated cutting decks come in a choice of 34-, 42-, 50- or 60-inch width of cut. These fabricated decks have a 4-inch-deep design, formed and welded using a strong 10-gauge steel top and 12-gauge steel side skirt. A heavy-duty, 7-gauge bumper adds strength and better protects the deck from impact.

Exmark® cutting decks are designed with sealed, maintenance-free spindle assemblies to eliminate maintenance and reduce downtime. This lightweight aluminum assembly reduces heat and provides increased spindle life. A standard feature on every Exmark zero-turn rider.

### PRODUCTIVITY



#### LESS TIME MOWING. MORE TIME ENJOYING THE THINGS YOU LOVE.

The Exmark Quest® is a great fit for homeowners looking to cut their lawns faster and easier. When you think about what your time is worth, it's easy to see the value of more productive tools. The new Quest mowers give home and acreage owners the power to simultaneously increase the beauty of their lawn and reduce the amount of time it takes to get mowing done. The proven commercial features, optimized for residential applications, provide a professional-quality of cut that's second to none.



No matter the job, it's always about using the right tools to do it right. So, if you're looking for professional-grade cut quality and performance in a premium residential zero-turn rider, look no further than Exmark's Quest mower lineup. Once in the seat, you'll experience more commercial-grade features, comfort and durability, for less.



#### SIMPLE, EASY ADJUSTMENTS

With a single-point height adjust, it's easy to vary the Quest's cutting deck. The S-Series mower is equipped with a foot lift-assist, which eases lifting and lowering the cutting deck. *(Optional on E-Series)*



#### FUEL TANK CAPACITY

A single, 2.9-gallon tank with one fill location keeps you mowing longer with fewer fill-ups.



#### ENGINE PROTECTION

Standard, rear engine guard provides increased protection of critical engine components. The S-Series engine guard is enhanced for extra engine protection.



#### CONVENIENTLY LOCATED CONTROLS

The updated control system has been conveniently moved forward, gaining increased accessibility to the operator control panel. This includes the newly located hour meter, which is standard on the S-Series.



#### COMMERCIAL-GRADE TIRES

Standard on Quest mowers, the commercial-grade front caster tires and rear drive tires provide increased traction for superior handling.



#### COMMERCIAL FEATURES

Exmark's Quest is a premium entry-level zero-turn mower. The proven commercial features have been adapted for consumer use including the tires, an Exmark V-Twin engine and fabricated deck.



#### NEW STYLING, SAME COMFORT

The redesigned Quest mower has the commercial Exmark styling and provides a premium, ergonomic seat system that delivers a smooth, comfortable ride, even over uneven terrain.





#### RESIDENTIAL AND ACREAGE OWNER

Quest mowers offer the value you need as a homeowner. Primarily used for your own property, you need the power, performance, comfort and fuel efficiency of a commercial mower.



COMPARISON CHART

	<div></div> <div></div>
ENGINES	Exmark 702 V-Twin
DECK SIZE	34"/42"
DECK STYLE	Full-Floating Series 2 Fabricated
CUTTING HEIGHT	1.5" to 4.5" in 0.5" increments
HYDRO-DRIVE SYSTEM	ZT-2100
SPEED	Up to 7.0 mph
FUEL CAPACITY	2.9 Gallons
SEAT COMFORT	Foam-Padded High Back, <i>Optional Armrests</i>
FEATURES	Optional Hour Meter, Seat Suspension System, Integrated Parking Brake
FRONT CASTERS	11 x 4 Smooth Pneumatic
DRIVE TIRES	18 x 6–8 (34") 18 x 7.5–8 (42")
WARRANTY	30-Day Commercial, Limited 3-Year Consumer, Limited

	<div></div> <div></div>
ENGINES	Exmark 708cc V-Twin
DECK SIZE	50"/60"
DECK STYLE	Full-Floating Series 2 Fabricated
CUTTING HEIGHT	1.5" to 4.5" in 0.5" increments
HYDRO-DRIVE SYSTEM	ZT-2800
SPEED	Up to 7.0 mph
FUEL CAPACITY	2.9 Gallons
SEAT COMFORT	Two-Toned, Foam-Padded High Back, with Armrests
FEATURES	Standard Hour Meter, Seat Suspension System, Integrated Parking Brake, Deck Foot Lift Assist
FRONT CASTERS	13 x 6 Smooth Pneumatic
DRIVE TIRES	20 x 10–10
WARRANTY	30-Day Commercial, Limited 3-Year Consumer, Limited

AVAILABLE ACCESSORIES



2-BAG COLLECTION SYSTEM



ANTI-BLOWOUT KIT



BAR AND STEP ASSIST



CARGO CARRIER



ENGINE MAINTENANCE



EQUIPMENT COVER



JACK AND MOUNT RECEIVER



MICRO-MULCH SYSTEM



TURF STRIPING KIT

**Also Available:**  
Armrest Kit, Bag Mount Kit, Floor Mat, Hitch Kit, Hour Meter, Trash Container and Weight Kit

Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your local dealer on accessory fit-up for each model.

EXMARK ENGINES



The mower engine makes all the difference in a machine. That's why, at Exmark, we give so much thought to matching engine and machine for the most optimized mower performance possible. On Quest and select Radius® mowers, we developed our own Exmark engines—built precisely to our specifications, allowing us to control engine quality from start to finish.

**SELF-CLEANING AIR FILTRATION SYSTEM**  
Advanced air intake system specially designed to decrease dirt ingestion and increase performance.

**HEAVY-DUTY AIR CLEANER**  
Commercial-duty air filtration for increased engine protection in heavy-duty cutting conditions (*Standard on Radius S-Series, optional on Radius E-Series and Quest*).

**TWO-BARREL CARBURETOR**  
Separate air/fuel mixture for each cylinder for maximum performance.

**QUICK OIL DRAIN SYSTEM**  
No tools needed for easy maintenance.



**RADIUS**

**LOW MAINTENANCE.  
COMMERCIAL DURABILITY.  
SIMPLE OPERATION.**

### CUTTING SYSTEMS



#### ULTRACUT™ DECK TECHNOLOGY

Exmark's exclusive UltraCut decks are featured on Radius models in a choice of 44-, 48-, 52- and 60-inch cutting widths. Every UltraCut cutting deck features Exmark's exclusive maintenance-free, sealed-bearing spindle assemblies. These spindles provide thousands of hours of trouble-free service and are truly the premium standard for reliability, durability and reduced downtime. All components in these decks work together to deliver the quality of cut you expect from an Exmark mower.

*UltraCut Series 4 deck is shown*

UltraCut Deck Comparison	UltraCut Series 3	UltraCut Series 4	UltraCut Rear Discharge
Bag	✓	✓	
Mulch	✓	✓	✓
Deck Depth	5.0"	5.5"	5.5"
Cutter Housing	7.30"	7.75"	7.75"
Spindle Shaft	17mm	25mm	25mm

### COMFORT

#### SUSPENSION PLATFORM

The standard of excellence for operator comfort, set by the Exmark Lazer Z® Suspension Platform has expanded to Radius S-Series models. The suspended operator platform suspends the operator from bumps and vibration to maximize productivity, while preserving cut quality and performance.

#### SUSPENSION PLATFORM FEATURES

- 1 Plush foam seat with Elastomeric Vibration Control (EVC) stretch fabric
- 2 Three coil-over shock suspension system
- 3 Adjustable rear shocks for preferred comfort level
- 4 Trailing arms eliminate side-to-side sway
- 5 3 inches of vertical travel that increases comfort and reduces fatigue



#### ERGONOMIC SUPERIORITY

Radius X-Series machines feature Exmark's full-suspension seating system, with three inches of adjustable vertical suspension.



#### ELASTOMERIC VIBRATION CONTROL (EVC)

*Enhances Comfort  
Eases Tailbone Pressure  
Reduces Vibration  
Moves with the Operator  
Limits Pressure*



#### FOAM DESIGN

*Lateral Stability—*Concave back supports thick and thin alike.  
*Lumbar Support—*"S" shape in back cushion gives lower support in lumbar area.  
*Limits Pressure—*Foam technologies and proven spinal detents.




The Radius delivers the commercial durability, reliability and operator comfort our customers expect from an Exmark zero-turn rider. These mowers provide landscape professionals with Exmark's signature cut quality, reduced-maintenance and increased productivity. In a stylish, value-oriented package, the Radius achieves a lower total cost of ownership than other machines.



#### DECK STRUT ISOLATION

Utilizing Lazer Z patented technology, the Radius deck strut includes automotive-style, maintenance-free greaseless bushings for smooth deck height adjustment. This reduces vibration and noise to the operator.



#### INTEGRATED REAR TOW HITCH

Standard on all models, the tow hitch allows for quick attachment of light implements and carts with an 80-pound capacity.



#### INCREASED CONTROL AND HANDLING

Controls deliver consistent feel throughout the range of motion, with a reactive, but not over-sensitive feel. This makes it easy to hold a straight line or maneuver through turns.



#### FUEL GAUGE WINDOW

Easy-to-use, accurate sight window fuel gauge is standard on all Radius models.



#### HEIGHT OF CUT MADE EASY

The patented height of cut system is a user-friendly tool developed for operators to quickly and accurately select the height of cut.



#### COMMERCIAL-GRADE ENGINES

All Radius models come with commercial-grade engines. S- and X-Series models feature heavy-duty, canister-style air filtration systems for extended filter and engine life.



#### EASY TO SERVICE

Operators can easily access the top side of the cutting deck, belts and spindles with the toolless, removable floor pan and belt shields. The welded jack receiver also allows quick access to the underside of the deck when combined with the optional jack.





#### LEADING ZERO-TURN. STRONG WARRANTY.


Purchase an Exmark Radius mower with confidence by taking advantage of the protection Exmark provides for you with our four-year limited warranty. Now standard on all Exmark Radius E-, S- and X-Series mowers sold in the U.S. or Canada. For complete details, visit [exmark.com](http://exmark.com) or your local dealer.



COMPARISON CHART

	<div></div> <div><b>RADIUS</b> E-SERIES</div>
ENGINES	Exmark 702 V-Twin Exmark 708 V-Twin
DECK SIZE	44"/48"/ 52"/60"
DECK STYLE	Full-Floating UltraCut Series 3
CUTTING HEIGHT	1.5" to 5.0" in 0.25" increments
HYDRO-DRIVE SYSTEM	ZT-2800 (44"/48"/52") ZT-3100 (60")
SPEED	Up to 7.0 mph (44") Up to 8.0 mph (48"/52"/60")
FUEL CAPACITY	7.0 Gallons
SEAT COMFORT	18" Commercial High Back
FEATURES	12-Volt Power Port, Integrated Rear Tow Hitch, Engine Hour Meter, Cup Holder
FRONT CASTERS	13 x 5.0–6 Pneumatic (44") 13 x 6.5–6 Pneumatic (48"/52"/60")
DRIVE TIRES	22 x 8.5–12 (44") 22 x 9.5–12 (48"/52") 22 x 10.5–12 (60")
WARRANTY <small>For complete details, visit exmark.com or your local dealer</small>	4-Year or 500 Hours, Limited

	<div></div> <div><b>RADIUS</b> S-SERIES</div>
ENGINES	Exmark 708 V-Twin
DECK SIZE	48"/ 52"/60"
DECK STYLE	Full-Floating UltraCut Series 3 (48"/52"/60") Full-Floating UltraCut Rear Discharge Deck (60")
CUTTING HEIGHT	1.5" to 5.0" in 0.25" increments
HYDRO-DRIVE SYSTEM	ZT-3100 (Side Discharge) ZT-3400 (Rear Discharge)
SPEED	Up to 9.0 mph
FUEL CAPACITY	7.0 Gallons
SEAT COMFORT	20" Deluxe Commercial High Back Suspension Platform
FEATURES	12-Volt Power Port, Integrated Rear Tow Hitch, Engine Hour Meter, Cup Holder, Heavy Duty Air Cleaner
FRONT CASTERS	13 x 6.5–6 Pneumatic
DRIVE TIRES	23 x 9.5–12 (48"/52") 23 x 10.5–12 (60")
WARRANTY <small>For complete details, visit exmark.com or your local dealer</small>	4-Year or 750 Hours, Limited

	<div></div> <div><b>RADIUS</b> X-SERIES</div>
ENGINES	Kawasaki® FX651V V-Twin Kawasaki FX691V V-Twin Kawasaki FX730V V-Twin
DECK SIZE	48"/ 52"/60"
DECK STYLE	Full-Floating UltraCut™ Series 4
CUTTING HEIGHT	1.5" to 5.0" in 0.25" increments
HYDRO-DRIVE SYSTEM	ZT-3400
SPEED	Up to 10.0 mph
FUEL CAPACITY	7.0 Gallons
SEAT COMFORT	20" Premium Full Adjustable Seat Suspension
FEATURES	12-Volt Power Port, Integrated Rear Tow Hitch, Engine Hour Meter, Cup Holder, Heavy-Duty Air Cleaner
FRONT CASTERS	13" x 6.5–6" Pneumatic
DRIVE TIRES	24 x 9.5–12 (48"/52") 24 x 10.5–12 (60")
WARRANTY <small>For complete details, visit exmark.com or your local dealer</small>	4-Year or 1,000 Hours, Limited

AVAILABLE ACCESSORIES



LIGHT KIT



EQUIPMENT COVER



MICRO-MULCH SYSTEM



OPERATOR CONTROLLED  
DISCHARGE



SUN SHADE



TRASH CONTAINER



TURF STRIPING KIT



ULTRAVAC™  
COLLECTION SYSTEMS

**Also Available:**  
3-Bushel Bagger, 5-Gallon Bucket, Bucket Mount Kit, Anti-Scalp Roller Kit, Engine Maintenance Kits, Finish Cut Baffles, Front Bucket Mount, Front Bucket Mount & 5-Gallon Bucket, Full Suspension Seat & Tilt Frame, Hydro Maintenance Kit, Jack, Standard Seat Cover, Suspension Seat Cover, Tilt Frame & ISO Mounts and White Non-Marking Side Bumper

Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your local dealer on accessory fit-up for each model.



# LAZER Z

**UNMATCHED PERFORMANCE.  
MAXIMUM COMFORT AND PRODUCTIVITY.  
LEGENDARY DURABILITY.**

## EXPERT ERGONOMICS

### IMPROVED LAZER Z SEATING SYSTEM

For some companies, improving operator comfort means more padding, and more springs. At Exmark, we've taken comfort to a whole new level, becoming experts in the game-changing science of ergonomics. We know that if operators are more comfortable, their businesses will be more profitable.



## OPERATOR COMFORT

### LAZER Z SUSPENSION PLATFORM

At Exmark, we're using our expert knowledge in operator comfort and the game-changing science of ergonomics to make Lazer Z mowers more comfortable to use. The suspended operator platform maximizes productivity through increased operator comfort. Adjustable coil-over hydraulic dampers significantly reduce the impact of bumps and vibration, and the system is easy to adjust for operators of any size and weight.

#### SUSPENSION PLATFORM FEATURES

- 1 Plush foam seat with Elastomeric Vibration Control (EVC) stretch fabric
- 2 Sophisticated suspension system
- 3 ISO mounts allow side-to-side compliance
- 4 Adjustable rear shocks for preferred comfort level
- 5 Trailing arms eliminate side-to-side sway
- 6 3-1/2 inches of vertical travel that increases comfort and reduces fatigue

Available on select Lazer Z models



For the past 20 years, Exmark's Lazer Z has been considered the gold standard in commercial-grade, zero-turn excellence. Pro cutters and homeowners have aspired to experience their superior cut quality, productivity, durability and performance. Built for easier maintenance and longer life, our Lazer Z mowers are simpler, tougher and easier to operate.




### STRUTS/FRAME SYSTEM

While redesigning the latest Lazer Z, our goal wasn't only to reduce parts. We also wanted to improve the parts we kept, like the deck struts. We now use patented automotive-style, maintenance-free, greaseless bushings for longer life.



### DESIGNED TO DO MORE

For greater efficiency, the Lazer Z has one large fuel tank located under the seat, with a single fill location. This places the weight of the fuel low and in the center of the machine for improved overall balance and handling.



### HYDRO-DRIVE SYSTEM

Our engineers devised a great way to keep hoses from leaking. They eliminated them. Then they added a few new things: tougher bearings, an improved cooling system and increased oil capacity.



### FEWER GREASE POINTS

Today's Lazer Z delivers maximum performance with minimum maintenance. With just four grease points on the entire machine, maintenance is only required approximately once a year.




### UNIBODY FRAME

The fully welded tubular frame design places major components like the engine, hydro-drive and fuel tank lower for better mass centralization. This provides increased hillside traction and stability, with heightened maneuverability.



### MAINTENANCE MADE EASY

Our Lazer Z mowers are engineered to have 40% fewer parts than their predecessors. Which means a lot less things to inspect, lubricate, adjust, remove and fix if they break.



### ENHANCED TRACTION AND HANDLING

Our Lazer Z mowers are more responsive and easier to operate, ultimately increasing productivity. The mower's low center of gravity combined with relocated components and seat position improves traction. The result is a well-balanced machine.

### LEADING ZERO-TURN. STRONG WARRANTY.

Purchase an Exmark Lazer Z mower with confidence by taking advantage of the protection Exmark provides for you with our five-year limited warranty. Now standard on all Exmark Lazer Z E-, S- and X-Series mowers sold in the U.S. or Canada. For complete details, visit [exmark.com](http://exmark.com) or your local dealer.





CUTTING SYSTEMS



UltraCut Series 6

UltraCut Rear Discharge

ULTRACUT DECK TECHNOLOGY

When it comes to durability, Exmark’s UltraCut decks are among the strongest in the industry and set the standard for productivity and quality of cut. The Lazer Z models are available with the option of an UltraCut Series 4, Series 6 and Rear Discharge cutting decks. These UltraCut decks all have a 5.5-inch deep design, formed and welded to provide superior strength and durability. While the Series 4 and Series 6 decks have a patented spherical bearing design on the idler arm pivots that requires only annual greasing, they are all designed with sealed, maintenance-free spindle assemblies to eliminate maintenance and reduce downtime.

These UltraCut mowing systems are the ultimate in a floating deck for efficiency, quality of cut and rugged durability. Regardless of which one you choose, your mower will deliver the cut quality, durability and longevity you expect from Exmark.

UltraCut Deck Comparison	UltraCut Series 4	UltraCut Series 6	UltraCut Rear Discharge
Bag	✓	✓	
Mulch	✓	✓	✓
Deck Depth	5.5"	5.5"	5.5"
Cutter Housing	7.75"	7.75"	7.75"
Spindle Shaft	25mm	30mm	25mm



BETTER ENGINEERED BLADE SPINDLES

Exmark blade spindles are engineered with a sealed, maintenance-free bearing, manufactured to withstand severe blade impacts. Our design also features a splined blade drive created to eliminate blade bolt tightening, making blade removal simpler.



SINGLE-POINT HEIGHT ADJUST

Our single-point height adjust gives you the ability to fine-tune deck height settings without resetting rake and level. The result: a more uniform, more professional-looking cut.



PANHARD ROD SYSTEM

Mounted diagonally under the mower's frame, this takes lateral force off the deck struts. This positioning virtually eliminates deck sway and the wear it creates, and dramatically reduces maintenance, even after extended use.



THE CHOICES YOU WANT

Our transport lock function enables operators to manually lock the deck in the "up" position. When mowing uneven terrain, this provides the power to avoid scalping by continuously feathering the machine over the terrain.



LAZER Z DIESEL REDESIGNED FROM THE GROUND UP

Exmark raises the productivity bar with the new Lazer Z Diesel mowers. Now delivering increased power, productivity and durability, these mowers are available in a 60-inch, 72-inch and an all-new, 96-inch cutting deck with flex wings. The Lazer Z Diesel is the ideal choice for municipalities, universities, landscape contractors and others who need a highly productive, versatile, efficient and durable mower to maintain vast areas of turf.



ON-BOARD INTELLIGENCE

THE NEXT-GENERATION RED TECHNOLOGY

The next-generation RED leverages the latest technologies to deliver increased machine efficiency, ease of use and long-term durability. This technology provides users an increased ability to control mower power and efficiency with defined performance modes. The updated operating control panel has sealed key switch and PTO connections as well as a new, console-mounted LCD display screen. The display screen provides an easy-to-use interface that offers enhanced monitoring of vital mower functions, machine health monitoring, and reporting of operating and property statistics.

FEATURES OF RED

Defined Performance Modes

Engine speed is controlled by three multifunction push buttons resulting in six customizable engine speed set-points. This allows the operator to set the engine rpm for low, efficient and max, when the PTO is both engaged and not engaged.

Machine Health Monitoring

RED Technology tracks machine health including engine RPM, engine temperature and battery voltage. It delivers on-screen notifications when engine or transmission oil changes are due. When the system detects an error, the specific error/troubleshooting code is displayed as text on the screen. Service history and error codes are also logged for reference later.

Operating and Property Statistics

Users can log and track operating statistics including total gallons of fuel used, average gallons of fuel used per hour, and both resettable and non-resettable engine and PTO hour meters. The trip meter also allows operators to log engine hours, PTO hours and gallons of fuel used on up to five properties.

Available on select Lazer Z models



SMART CONTROLLER

Standard on Lazer Z S-Series equipped with Kohler EFI engines, the Smart Controller, now with a larger display screen and sealed key switch and PTO connections, is an improved operator-to-machine interface. The redesigned controller increases ease of operation and reduces downtime with maintenance reminders and on-screen machine health diagnostics. Other features of the Smart Controller include an interlock display, fuel gauge and PTO hour display.



INCREASED EFFICIENCY WITH EFI

We understand your goal is to make a profit, which is why Exmark’s Lazer Z with Electronic Fuel Injection (EFI) and E-Gov is specially designed to eliminate governor droop and uptime performance. This allows you to maintain engine RPM and blade speed, boosting fuel efficiency.




DECREASE YOUR ENVIRONMENTAL IMPACT WITH PROPANE

We’ve raised the bar on propane-fueled lawn mowers with improved starting, stronger performance and dramatically reduced fuel consumption, meaning lower operating costs.



COMPARISON CHART

	<div></div> <div><b>LAZER Z<sup>®</sup></b> G-SERIES</div>
ENGINES	Kawasaki FX651V V-Twin Kohler <sup>®</sup> ECV740 Command PRO <sup>®</sup> EFI Kawasaki FX751V V-Twin
DECK SIZE	48" / 52" / 60" / 72"
DECK STYLE	Full-Floating UltraCut Series 4 Full-Floating UltraCut Rear Discharge Deck (60" / 72")
CUTTING HEIGHT	1.0" to 5.5" in 0.25" increments
HYDRO DRIVE SYSTEM	12cc
SPEED	Up to 8.0 mph (48" / 52") Up to 10.0 mph (60" / 72")
FUEL CAPACITY	8.0 Gallons
SEAT COMFORT	Deluxe Adjustable Suspension
FEATURES	Rear Discharge Decks Available, Exmark Exclusive UHT, Suspension Platform Available
FRONT CASTERS	13 x 5.0-6 Semi-Pneumatic (48" / 52") 13 x 6.5-6 Semi-Pneumatic (60" / 72")
DRIVE TIRES	23 x 9.5-12 (48" / 52") 24 x 12-12 (60" / 72")
WARRANTY <small>For complete details, visit exmark.com or your local dealer</small>	5-Year or 1250 Hours, Limited No Hour Limit First Two Years

	<div></div> <div><b>LAZER Z<sup>®</sup></b> G-SERIES</div>
	Kawasaki FX651V V-Twin Kawasaki FX801V V-Twin Kohler ECV740 Command PRO EFI Kohler PCV740 Command PRO EFI <b>Propane</b> Kohler ECV749 Command PRO EFI Kawasaki FX850V V-Twin EFI <i>with RED Technology</i>
	48" / 52" / 60" / 72"
	Full-Floating UltraCut Series 4
	1.0" to 5.5" in 0.25" increments
	12cc
	Up to 10.0 mph
	12.0 Gallons
	Deluxe Adjustable Suspension with Seat Isolation System
	EFI Offerings, RED Technology Equipped, ISO-Mount Seat Isolation System
	13 x 5.0-6 Semi-Pneumatic (48" / 52") 13 x 6.5-6 Semi-Pneumatic (60" / 72")
	23 x 9.5-12 (48" / 52") 24 x 12-12 (60" / 72")
	5-Year or 1250 Hours, Limited No Hour Limit First Two Years

	<div></div> <div><b>LAZER Z<sup>®</sup></b> X-SERIES</div>
	Shown with Suspension Platform  Kawasaki FX801V V-Twin Kawasaki FX921V V-Twin Kohler ECV740 Command PRO EFI <i>with RED Technology</i> Kohler ECV940 Command PRO EFI <i>with RED Technology</i> Kohler ECV980 Command PRO EFI <i>with RED Technology</i>
	52" / 60" / 72"
	Full-Floating UltraCut Series 6 Full-Floating UltraCut Rear Discharge Deck (60" / 72")
	1.0" to 5.5" in 0.25" increments
	12cc (52") 16cc (60" / 72")
	Up to 10.0 mph (52") Up to 11.5 mph (60" / 72")
	12.0 Gallons
	Deluxe Adjustable Suspension with Seat Isolation System
	Rear Discharge Decks Available, RED Technology Equipped, ISO-Mount Seat Isolation System, Suspension Platform Available
	13 x 5.0-6 Semi-Pneumatic (52") 13 x 6.5-6 Semi-Pneumatic (60" / 72")
	23 x 9.5-12 (52") 24 x 12-12 (60" / 72")
	5-Year or 1500 Hours, Limited No Hour Limit First Two Years

AVAILABLE ACCESSORIES



AIR RIDE SUSPENSION SEAT



LIGHT KIT



SUN SHADE



HYDRO MAINTENANCE KIT



MICRO-MULCH SYSTEM



OPERATOR CONTROLLED  
DISCHARGE



TURF STRIPING KIT



ULTRAVAC  
COLLECTION SYSTEMS

**Also Available:**  
3-Bushel Bagger, 12-Volt Power Adapter, Equipment Cover, Extended Drive Lever, Finish Cut Baffles, Floor Mat, Harness Add-On Accessory, Hitch Kit, Hydro Maintenance Kit, Jack, Jack Mount Receiver, Power Deck Lift, Rear Anti-Scalp, Seat Isolation System, Side Wear Bar, Trash Container and White Non-Marking Side Bumper

Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your local dealer on accessory fit-up for each model.





SIGNATURE CUT QUALITY.  
MOWING AND VACUUMING PERFECTION.  
MAXIMUM RESPONSIVENESS AND CONTROL.



The Navigator®, Exmark's signature fine-cut machine, has a patented fill reduction and large diameter blower allowing the operator to vacuum a perfectly mowed lawn in record time. The center discharge deck is designed for two-sided trimming to more accurately control discharge, keeping flowerbeds and walkways free of clippings.

COLLECTION SYSTEM



**PATENTED FILL-REDUCTION**  
The Navigator's fill-reduction system allows operators to quickly switch from dedicated bagging mode where they are collecting 100 percent of the clippings, to a fill-reduction mode where they are collecting half of the clippings while mulching the other half of the clippings. If an operator wants 100 percent mulching, it's easy. Just add the easy-to-install Exmark Micro-Mulch System (optional accessory).

**MORE CAPACITY, MORE PRODUCTIVITY**  
Our engineers have tapered the hopper from the front to the rear, to more easily release debris when you're emptying it. The large-capacity, 9.5-bushel hopper features a fill sensor with an audible alarm that's triggered once the hopper is full. For more productivity, there is an optional powered dump attachment system.

**AIRFLOW FLEXIBILITY**  
The deck collection chute is a full six inches in diameter that combined with a large diameter blower, generates more airflow for better vacuuming and debris collection. The two-piece hopper screen allows for adjustment in seasonal cutting conditions.



**OPERATOR COMFORT**  
Our seat system provides a smooth, comfortable ride—even over uneven terrain—thanks to the bolstered high-back seat with a foam padded cushion and rubber seat isolators for less bounce and vibration.



**EASIER TO SERVICE, REDUCED MAINTENANCE**  
To make servicing easier, the 7.5-gallon gas tank swings open for accessibility to the engine components. The overall required maintenance is less as the Navigator has half the lubrication points than comparable machines. Drive belts are also easily removed and installed without tools.



**"FEATHER TOUCH" CONTROLS**  
The "Feather Touch" steering controls make maneuvering tight spots virtually effortless. These controls, combined with the low-force constant speed lever, equal reduced operator fatigue—and that means all-day operation.



ENGINES

Kohler CH730 Command PRO EFI  
Kohler CH740 Command PRO

DECK SIZE

42"/48"

DECK STYLE

Full-Floating Fabricated

CUTTING HEIGHT

1.0" to 4.0" in 0.25" increments

HYDRO-DRIVE SYSTEM

12cc

SPEED

Up to 7.0 mph

FUEL CAPACITY

7.5 Gallons

SEAT COMFORT

Commercial High Back

FEATURES

9.5-Bushel Hopper, Engine Hour Meter

FRONT CASTERS

8" x 3.0-4" Semi-Pneumatic

DRIVE TIRES

18 x 10.5-10

**WARRANTY**  
For complete details, visit  
[exmark.com](http://exmark.com) or your local dealer

2-Year Limited

AVAILABLE ACCESSORIES



POWERED DUMP



DUMPTUBS



LIGHT KIT



COMFORT RIDE SEAT  
SUSPENSION

**Also Available:**  
2-Post Foldable ROPS, Automatic Door Opener Kit, Dual Semi-Pneumatic Rear Casters, Harness Add-On Accessory, Micro-Mulch System, Narrow Drive Tire, Rollover Protection System (ROPS), and Tire and Wheel Assembly.

Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your local dealer on accessory fit-up for each model.





ENGINEERED BY US.  
TRUSTED BY LANDSCAPE PROS.  
READY TO WORK FOR YOU.



For nearly three-and-a-half decades, Exmark® has been synonymous with the world's most technologically advanced, durable, comfortable and low-maintenance turf care equipment. These are just a few of the reasons why top landscape pros trust Exmark 2-to-1 over the next best-selling brand of zero-turn mowers,\* time and again relying on our products to create unmatched results and profit potential. Whether you're a pro, or a homeowner with a lot of lawn to beautify, striving to gain more time for life's most important moments is an aspiration that's shared by everyone—and we strive to make that a reality for you.

LANDSCAPE PROS TRUST EXMARK  
2-TO-1 OVER THE NEXT BEST-SELLING  
BRAND OF ZERO-TURN MOWERS.

\*Based on U.S. Data study by Wiese Research Associates, Inc. Market Share and Additional Equipment Study (February 2016).

WALK-BEHINDS

When designing and building our walk-behind mowers, we did our homework. We packed more technology and performance into each mower. Our mowers deliver precise lawn trimming with versatile handling and reliable quality.

**COMMERCIAL 21**  
S-Series  
X-Series

**COMMERCIAL 30**

**METRO®**  
• Pistol Grip & ECS Controls

**VIKING®**  
• ECS Controls

**TURFTRACER®**  
S-Series  
• ECS Controls  
• Propane  
X-Series  
• ECS Controls  
• Propane

ZERO-TURN RIDERS

We set our bar high so that you can get the best value from a zero-turn mower that is high-performing, ergonomic and easy to maintain.

**QUEST®**  
E-Series  
S-Series

**RADIUS®**  
E-Series  
S-Series  
• Suspension Platform  
X-Series

**LAZER Z®**  
E-Series  
• Suspension Platform  
• Rear Discharge  
S-Series  
• Propane  
• Smart Controller  
• RED Technology  
X-Series  
• Suspension Platform  
• Rear Discharge  
• RED Technology

**LAZER Z DIESEL**  
• Side-Discharge  
• Rear-Discharge  
• Rear-Discharge with Flex Wings  
• RED Technology

**NAVIGATOR®**  
• Dedicated Bag System

TURF MANAGEMENT

There's more to lawn care than just mowing. You can also aerate, seed, dethatch and sweep to keep your lawn looking its best. Our landscaping equipment is everything you need to perform the most advanced turf renovation and maintenance services.

**SLICER SEEDER**

**AERATOR**  
21" Walk-Behind  
24" Stand-On  
30" Stand-On

**ROTARY BROOM**

**SPREADER-  
SPRAYER**

STAND-ON

The all-new Staris stand-on zero-turn rider raises the bar for stability, ease of use and operator comfort, with the commercial performance, productivity and durability Exmark customers expect.

**STARIS®**  
E-Series  
S-Series





# THE ONLY PARTS WORTHY OF BEARING OUR NAME.



## PARTS PLUS

*IT'S OVERNIGHT—OR FREE*

If we don't have the Exmark part that you need in stock, we'll get the part and have it available to you on the next business day, or it's on us.\*



## PERFORMANCE PRODUCTS

Each specially formulated to maximize the performance and life of our hard-working engines.



## GO ORIGINAL

Only Exmark has the expertise and know-how to provide the right parts specifically designed for your machine.

EXMARK MFG. CO., INC.

2101 Ashland Avenue | Beatrice, NE 68310 | Call 402.223.6300 | Fax 402.223.6384 | [www.exmark.com](http://www.exmark.com)



**\*Parts Plus:** Restrictions apply; please contact your Exmark dealer for further details. Dealer participation is optional. Program not available in Hawaii and Canada.

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligation. For additional product information including operation manuals, safety materials and warranty details, please visit [www.exmark.com](http://www.exmark.com) or see your dealer for complete details.

Many manufacturers use 100% efficiency ratings for sale purposes. Exmark believes an 80% efficiency rating is more representative of actual mowing conditions, as it allows for turns and

overlapping. Formulas for calculating acres per hour: **100% efficiency:** MPH x width of cut ÷ 99 = acres per hour | **80% efficiency:** MPH x width of cut ÷ 124 = acres per hour

Exmark®, Lazer Z®, Metro®, Navigator®, Quest®, Radius®, Staris®, Turf Tracer® and Viking® are registered trademarks, UltraVac™ and UltraCut™ are trademarks of Exmark Mfg. Co., Inc. Kohler® is a registered trademark and Kohler® Command PRO® is a trademark of Kohler Co. Kawasaki® is a registered trademark of Kawasaki Motors Corp. Hydro-Gear® is a registered trademark of Hydro-Gear.

© 2019 Exmark Manufacturing Company, Inc. All rights reserved. Printed in the U.S.A. 2019.  
Form No. 135-6811