



**BUILT
FOR
THIS.™**



2023 CALIFORNIA

YOU AND EXMARK MOWERS

Like you, we're up before the sun, regardless of the conditions. Hot, humid, nasty...
Most people couldn't finish this day. Many wouldn't even start.

But none of that matters to you. There's work to do.

Like you, your Exmark is built to not just perform, but thrive when others
are throwing in the towel. Your signature is the professional finish your Exmark
leaves on the lawns you maintain. You're a team on a mission to deliver what
your customers want... what they expect.

So, bring on those summer showers and humidity that hangs like a blanket. Push through
the choking dust and swarms of mosquitoes. Dominate the acres of turf in front of you.
Bermuda, bluegrass, centipede, fescue or zoysia... it doesn't matter.

There's no stopping you... or your Exmark mower.

Let's finish the job, close the deal, and beat
the sunset like we always do. Because
you're cut from the same metal as that red
mower in your rear-view mirror, you aren't
just good at this.

Like Exmark mowers...
you were built for this.



[exmark.com/built-for-this](https://www.exmark.com/built-for-this)



BUILT FOR THIS.

BUILT FOR...

Solutions

Reduce labor needs with larger, more productive mowers

Performance

The power and speed pros need to finish jobs fast

Durability

Ready to run hard all day, every day

Commitment

Exhaustively tested both in the lab and in the field

Profitability

Engineered to deliver the lowest overall cost of ownership

Long Days

Enhanced comfort features keep operators up and running

Clean Cuts

Everyone wants the Exmark signature quality of cut

Backyard

Finish work faster and get back to doing what you love

Future

Committed to innovations today, tomorrow and into the future

...**Everyone**



CHARGING INTO 2023

We're unleashing our first electric commercial mowers: the **Commercial 21 V-Series** walk-behind and HyperCell™ powered **Vertex® V-Series** stand-on models. With Exmark's signature cut quality and cutting-edge battery power, they deliver the performance you expect, with less sound, fewer emissions, and unmatched long-term durability. Featured on Vertex® V-Series models, **Adapt®** enables the operator to adjust deck rake easily, without tools, to optimize cutting performance in a wider range of cutting conditions.



**PRODUCTIVITY.
COMMERCIAL DURABILITY.
EASE OF USE.**

FEATURES

5-inch Deep Cast Aluminum Cutting Deck
2-in-1: Bag and Mulch

Commercial-Grade Engines
Honda® or Kawasaki®

Patented Front Height Adjustment System
Eliminates need for pivot-style adjusters

Infinite Speed Control
Multi-zone transmission provides infinite speed control from zero to 4.2 mph

Multiple Blade Options
The option of five blade choices gives you the flexibility to customize for your unique cutting conditions



COMMERCIAL 21 X-SERIES

Known for getting the job done faster, and better, Exmark's commercial-grade 21-inch walk-behind mowers deliver an unmatched quality of cut—and years of worry-free service—that have become the industry benchmarks. Recent design features like the patented front height adjustment system and single-point rear height adjust provide even more versatility when mowing.



EASE OF USE
The Commercial 21 has simple, straightforward controls and a lightweight, durable cast aluminum cutting deck, which reduces weight and eases maneuverability.



THE EXMARK SIGNATURE CUT
The true test of a mower is the cut quality it delivers. The Commercial 21 is engineered to consistently deliver an unmatched quality of cut, whether mulching or bagging. A variety of optional blades let you further optimize performance for your specific cutting conditions.



**BATTERY POWERED.
COMMERCIAL DURABILITY.
SIGNATURE QUALITY OF CUT.**

FEATURES

- 5-inch Deep Cast Aluminum Cutting Deck**
2-in-1: Bag and Mulch
- 2kW Brushless DC Motor**
Comes with two 60V 7.5Ah 405Wh batteries and rapid charger (capable of reaching 90% charge in 75 minutes)
- Safety**
Operates below the 85dB threshold OSHA uses for hearing protection
- Patented Front Height Adjustment System**
Eliminates need for pivot-style adjusters
- Infinite Speed Control**
Multi-zone transmission provides infinite speed control from zero to 3.5 mph

up to
0.4
Acres/Battery
approx. 40min¹

3.5
MPH

2.5
Bushels

2 Year
Limited Warranty²

<1
Acre Property

Light Heavy
USAGE



COMMERCIAL 21 V-SERIES

Combine Exmark's signature cut quality with battery power and the result is the new Commercial 21 V-Series electric walk-behind mower. With the same 1/4-inch thick cast alloy cutting deck, heavy-duty transmission and controls as our industry benchmark gas-powered Commercial 21 models, the new machine delivers the commercial productivity, cut quality and durability landscape professionals need.



60V PROFESSIONAL POWER SYSTEM
Battery power meets commercial mowing. Quiet operation. Zero engine exhaust emissions. No gas or oil changes resulting in virtually no maintenance. And perfect for HOAs and quiet zones.



THE EXMARK SIGNATURE CUT
With the same 5-inch-deep die-cast aluminum cutting deck as our gas-powered Commercial 21, the new Commercial 21 V-Series is the only electric walk-behind that offers our signature cut.

TOP ACCESSORIES

- Professional Power System Rapid Charger
- Professional Power System 60V Battery

Accessories may not fit each mower model. Please visit exmark.com or check with your dealer on accessory fit-up for each model.



**UNMATCHED PERFORMANCE.
MANEUVERABILITY.
COMMERCIAL DURABILITY.**


FEATURES

4.6-inch Deep Cutting Deck
3-in-1: Bag, Mulch or Side-Discharge

Commercial-Grade Engines
Kawasaki or Kohler®

Blade Brake Clutch (BBC)
Allows the blade to be engaged and disengaged without stopping the engine

Patented Front Height Adjustment System
Eliminates the need for pivot-style adjusters



COMMERCIAL 30

If you're looking for even more productivity, but still require the maneuverability and cost effectiveness of a smaller walk-behind, step up to Exmark's Commercial 30. As the lightest weight machine in it's class this machine is agile enough to tackle any property. These Commercial 30 mowers deliver up to a 40% increase in cutting efficiency compared to a standard 21-inch mower—so you can cut more grass in less time.



PRODUCTIVITY
Commercial 30 delivers the productivity of a larger walk-behind mower, with the versatility and maneuverability of a smaller machine. The 30-inch width of cut allows operators to cut 40 percent more with each pass than a 21-inch walk-behind mower.



COMMERCIAL DURABILITY
For increased durability in commercial use, the Commercial 30 comes standard with heavy-duty side braces, an engine guard, a metal side-discharge cover and a 1-inch diameter front bumper.

TOP ACCESSORIES

Micro-Mulch System

Accessories may not fit each mower model. Please visit exmark.com or check with your dealer on accessory fit-up for each model.



**QUALITY OF CUT.
LONG-LASTING PERFORMANCE.
ENHANCED CONTROL SYSTEM.**

FEATURES

UltraCut™ Series 3 or 4 Deck
Side Discharge: 36 | 48 | 52 | 60

Commercial-Grade Engines
Kohler or Kawasaki

Patented Enhanced Control System
Natural, ergonomic hand position helps reduce operator fatigue

Patented Belt Covers
Can be removed without tools for easy debris removal and quick belt access



TURF TRACER®

The Turf Tracer is Exmark's premium wide-area, walk-behind mower, combining the productivity of larger cutting decks and hydro-drive components with the unmatched quality of a full-floating deck. They are engineered for speed, efficiency and durability, and always deliver a quality of cut that is second to none.



LONG-LASTING PERFORMANCE
These hydro-drive models provide more control, instant response, and precise speed regulation with full-reverse and zero-turn maneuverability for unmatched productivity and durability.



CONVENIENT DECK LATCH
Changing the height of cut has been made easy with the added deck latch. Rather than holding the deck while changing the height of cut, the deck will now lock into place making it easier on operators. (Not available on 36-inch decks.)

TOP ACCESSORIES

- 3-Bushel Bagger
- Anti-Scalp Roller Kit
- Equipment Cover
- Micro-Mulch System
- Operator Controlled Discharge
- StandOn
- Turf Striping Kit

Accessories may not fit each mower model. Please visit exmark.com or check with your dealer on accessory fit-up for each model.



**COMPACT.
EASE OF SERVICE.
COMMERCIAL PERFORMANCE.**

FEATURES

UltraCut Series 3 Deck
Side Discharge: 32 | 36

Commercial-Grade Engine
Kawasaki

Operator Comfort
Patented contoured operator support pad

Serviceability and Accessibility
Flip-up front cover and a rear panel that lifts and locks into place

1.96
Acres/Hour¹
on 36" Unit

up to
7.5
MPH

5
Gallons

2 Year
Limited Warranty²

1-4
Acre Property

Light Heavy
USAGE



STARIS® E-SERIES

The compact Exmark Staris stand-on zero-turn mower is an extraordinary blend of productivity and value. The stable, low-profile design and intuitive controls make Staris easy to operate, while the heavy-duty tubular steel frame and formed, welded UltraCut Series 3 cutting decks ensure maximum long-term durability.



SINGLE-POINT HEIGHT-OF-CUT
Operators can quickly and accurately change the cut height by simply adjusting the pin and raising or lowering the deck.



COMPACT DESIGN
The compact size of Staris reduces trailer and storage space; and gives you the ability to access more yards, more quickly, while providing exceptional maneuverability on tough terrain.

TOP ACCESSORIES

- 3-Bushel Bagger
- 12-Volt Power Port
- Equipment Cover
- LED Light Kit
- Micro-Mulch System
- Operator Control Discharge (Hand)
- Trash Container
- Strobe Light Kit

Accessories may not fit each mower model. Please visit exmark.com or check with your dealer on accessory fit-up for each model.



**DURABLE.
SIGNATURE QUALITY OF CUT.
COMMERCIAL PERFORMANCE.**

FEATURES

UltraCut Series 4 Deck
Side Discharge: 48 | 52

Commercial-Grade Engine
Kawasaki or Kohler

Operator Comfort
Full-length operator pad

Serviceability and Accessibility
Patent pending removable, tool-less operator pad for easy removal



VERTEX® S-SERIES

The Vertex represents the next generation of stand-on zero-turn mower performance. Every detail was considered, researched, and designed to deliver the durability, quality of cut and ease of use landscape professionals expect from Exmark. With UltraCut Series 4 cutting decks in up to 60-inch cut widths, Vertex has the power and productivity to make quick work of tough jobs.



DESIGN SIMPLICITY
Operating a Vertex mower is easy, thanks to the simple, ergonomic design. Key, choke, throttle, height of cut adjustment... they're all right there. Hop on, and you're ready to go.



QUALITY OF CUT
Vertex S-Series stand-ons are built to consistently deliver the legendary quality of cut all Exmark mowers are famous for.

TOP ACCESSORIES

- 3-Bushel Bagger
- Equipment Cover
- LED Light Kit
- Micro-Mulch System
- Operator Control Discharge (Hand)
- Operator Control Discharge (Foot)
- Trash Container
- Turf Striping Kit

Accessories may not fit each mower model. Please visit exmark.com or check with your dealer on accessory fit-up for each model.



**BATTERY POWERED.
SIGNATURE QUALITY OF CUT.
ALL-DAY PERFORMANCE.**

FEATURES

Electric Series 4 Deck
Side Discharge: 52

Power
8 HyperCell™ 18.4 kWh batteries

Drive Speed Settings
Seven settings allow you to adjust your top end speed

Blade-Tip Speed Settings
Seven settings allow you to adjust your blade-tip speed independent from drive speed



VERTEX V-SERIES

As Exmark's first electric stand-on mower, the Vertex V-Series is the future of commercial mowing. Built with the commercial durability and cut quality landscape maintenance pros expect from Exmark, the Vertex V-Series delivers maximum productivity and reduced maintenance needs. The advanced HyperCell power system and patent-pending management software provides up to seven hours of runtime per charge. Equipped with a 52-inch Electric Series 4 side-discharge cutting deck, the Vertex V-Series is ready to take on quiet zones and HOAs.



ADAPT® SYSTEM
Make quick adjustments to optimize quality of cut and performance for a variety of turf types and conditions. Particularly in wet, overgrown, or lush conditions, or stemmy grasses and weeds.



HYPERCELL
The HyperCell power system produces zero engine exhaust emissions and provides up to seven hours of runtime with each charge.

TOP ACCESSORIES

- Equipment Cover
- Micro-Mulch System
- Operator Control Discharge (Hand)
- Trash Container

Accessories may not fit each mower model. Please visit exmark.com or check with your dealer on accessory fit-up for each model.



**UNMATCHED PERFORMANCE.
LEGENDARY DURABILITY.
MAXIMUM COMFORT & PRODUCTIVITY.**

FEATURES

UltraCut Deck Technology

Side Discharge: 48 | 52 | 60 | 72

Rear Discharge: 60 | 72

Commercial-Grade Engines

Kohler or Kawasaki

Hydro-Drive System

Eliminated hoses and added tougher bearings, an improved cooling system and increased oil capacity

Unibody Frame

Fully welded tubular frame design places major components like the engine, hydro-drive and fuel tank lower for better mass centralization



LAZER Z

For over 25 years, Exmark's Lazer Z has been considered the gold standard in commercial-grade, zero-turn excellence. Pro cutters and homeowners have aspired to experience their superior cut quality, productivity, durability and performance. Built for easier maintenance and longer life, our Lazer Z mowers are simpler, tougher and easier to operate.



THE SIGNATURE CUT

We've optimized the blade-tip speed of the UltraCut decks to perfect the distance and uniformity of clipping discharge. All the components in our deck work together to deliver the signature Exmark look, cut after cut. Job after job.



ENHANCED TRACTION AND HANDLING

Our Lazer Z mowers are more responsive and easier to operate, ultimately increasing productivity. The mower's low center of gravity combined with relocated components and seat position improves traction. The result is a well-balanced machine.

TOP ACCESSORIES

- Air Ride Suspension Kit
- LED Light Kit
- Micro-Mulch System
- Operator Controlled Discharge
- Sun Shade
- Tractus Tire
- Trash Container
- Turf Striping Kit
- UltraVac Collection Systems

Accessories may not fit each mower model. Please visit exmark.com or check with your dealer on accessory fit-up for each model.

BUILT FOR THE LAZER Z

COST OF OWNERSHIP

Since initial cost is just a fraction of a mower's total cost over its lifetime, each Lazer Z model is engineered to minimize service and maintenance costs over time. From the fuel savings of the available EFI-equipped engines to the sealed, no-grease caster bearings and unitized hydro pump and wheel motors, each Lazer Z is designed to maximize uptime and reduce total cost of ownership.

TRACTUS™ AIRLESS DRIVE TIRE

Available for select Lazer Z models, Exmark's exclusive Tractus airless drive tires eliminate flat tires and related downtime. With a similar ride quality to pneumatic tires, Tractus increases operator comfort, while the proven tread design offers superior traction and reduced marking on concrete.

LAZER Z SUSPENSION PLATFORM

At Exmark, we're using our expert knowledge in operator comfort and ergonomics to make Lazer Z mowers more comfortable to use. The suspended operator platform maximizes productivity through increased operator comfort. Adjustable coil-over hydraulic dampers significantly reduce the impact of bumps and vibration, and the system is easy to adjust for operator size and weight.

NEXT-GENERATION RED TECHNOLOGY

Next-generation RED Technology delivers increased machine efficiency, ease of use and long-term durability. This patented technology offers the ability to control mower power and efficiency with defined performance modes. Updated with a sealed key switch and PTO connections as well as a new, console-mounted LCD display screen, the screen provides an easy-to-use interface for enhanced monitoring of vital mower functions, machine health monitoring, and operating and property statistics reporting.



Cost of Ownership



Suspension Platform



Tractus



RED

LAZER Z SEATING SYSTEM

At Exmark, we've taken comfort to a whole new level, becoming experts in the game-changing science of ergonomics. Our scientific methodology utilizes pressure mapping to analyze the fatigue factors of vertical and lateral motion, driving the development of mower comfort. We know that if operators are more comfortable, their businesses will be more profitable.





**PREMIUM DIESEL PERFORMANCE.
LEGENDARY DURABILITY.
MAXIMUM COMFORT & PRODUCTIVITY.**

FEATURES

UltraCut Deck Technology

Side Discharge: 60 | 72
Rear Discharge: 72 | 96 | 144

Commercial-Grade Engines

Yanmar®

Hydraulic Deck Lift

Provides for easy cutting height adjustment and quick transport

Reduced Maintenance

With an efficient and robust powertrain system, these machines have less maintenance and longer service intervals. The tool-less belt access and removable floor pan makes servicing easy



LAZER Z DIESEL

For a variety of reasons, the diesel-powered Lazer Z mowers may be the right choice for your cutting needs. They make quick work of the largest, toughest jobs and raise the bar for cut quality, operator comfort, fuel efficiency and ease of handling. Our large 144-inch flex wing deck is capable of mowing more than 11.5-acres per hour,¹ making it the most productive mower Exmark has ever built.



BUILT FOR LARGE PROPERTIES

The robust engine power and large deck sizes make these mowers Exmark's most productive diesel machines ever. They are a great solution for universities, municipalities, and other sizeable properties yet nimble enough to maneuver smaller landscapes.



ENHANCED OPERATOR COMFORT

Operator comfort is critical to productivity. That's why we've worked so hard to reduce noise and vibration, and placed the operator seat in full suspension on ISO mounts—so you can go for hours.

TOP ACCESSORIES

- LED Light Kit
- Micro-Mulch System
- Operator Controlled Discharge
- Sun Shade
- Trash Container
- Turf Striping Kit
- UltraVac Collection Systems

Accessories may not fit each mower model. Please visit exmark.com or check with your dealer on accessory fit-up for each model.



**SIGNATURE CUT QUALITY.
VACUUMING PERFECTION.
RESPONSIVENESS AND CONTROL.**

FEATURES

Full-Floating Fabricated Deck
Rear Discharge: 42 | 48

Commercial-Grade Engines
Kohler

Easy to Service
Gas tank swings open for engine accessibility while drive belts are easily removed and installed without tools

Airflow flexibility
The deck collection chute is a full six inches in diameter that combined with a large diameter blower, generates more airflow for better vacuuming and debris collection



NAVIGATOR

The Navigator, Exmark's signature fine-cut machine, has a patented fill reduction and large diameter blower allowing the operator to vacuum a perfectly mowed lawn in record time. The fill reduction system allows operators to quickly switch from dedicated bagging mode where they are collecting 100 percent of the clippings, to a fill-reduction mode where they are collecting half of the clippings while mulching the other half of the clippings. The center discharge deck is designed for two-sided trimming to more accurately control discharge, keeping flowerbeds and walkways free of clippings.



OPERATOR COMFORT
The effortless "Feather Touch" steering controls, combined with a bolstered high-back seat, foam padded cushion and rubber seat isolators, add up to a comfortable ride that reduces operator fatigue—for all-day operation.



DECK LATCH
Changing the height of cut has been made easy with the added deck latch. Rather than holding the deck while changing the height of cut, the deck will now lock into place making it easier on operators.

TOP ACCESSORIES

- Automatic Door Opener Kit
- Dump Tubs
- LED Light Kit
- Micro-Mulch System
- Narrow Drive Tire Kit
- Powered Dump

Accessories may not fit each mower model. Please visit exmark.com or check with your dealer on accessory fit-up for each model.

BUILT FOR A SIGNATURE CUT

When it comes to durability, Exmark's UltraCut decks are among the strongest in the industry and set the standard for productivity and quality of cut. These UltraCut mowing systems are the ultimate in a floating deck for efficiency, quality of cut and rugged durability. Regardless of which one you choose, your mower will deliver the cut quality, durability and longevity you expect from Exmark.



ULTRACUT™ SERIES 3

These full-floating decks precisely follow ground contours to deliver a more consistent height of cut and reduced scalping. They feature robust, yet flexible, discharge chutes, designed to reduce the possibility of impact damage from trees, rocks and other obstacles.

ULTRACUT™ SERIES 4

With a deeper design, these decks are formed and welded to provide superior strength and durability. These decks feature sealed, maintenance-free spindle assemblies and patented spherical bearing design on the idler arm pivots to eliminate maintenance and reduce downtime.

ULTRACUT™ SERIES 6

All the features from the Series 4 deck are standard plus an enhanced cutter housing. The Series 6 deck cutter housing features a more robust spindle and bearings. All components in these decks work together to deliver the quality of cut you expect from an Exmark mower.

ULTRACUT™ REAR DISCHARGE

The Rear Discharge deck has counter-rotating blades for enhanced clipping dispersion with the ability to trim on both sides of the deck. Deck comes standard with black side bumpers. Optional white bumpers available which are perfect for not leaving marks.

ULTRACUT REAR DISCHARGE WITH FLEX WINGS

Our flex wing decks are the ultimate mowing systems for productivity with 96- or 144-inch widths available. Capable of articulating up to 20-degrees up and 15-degrees down to precisely follow ground contour, the wing decks fold hydraulically to minimize trailing space. All UltraCut Flex Wing cutting decks are engineered to not just be more productive, but also deliver the durability and signature cut quality Exmark owners expect.

ELECTRIC SERIES 4

52-inch Electric Series 4 side-discharge cutting deck. Fabricated and welded from high-strength steel to deliver Exmark's signature quality of cut. The high-torque deck motors feature a 9-inch diameter cast aluminum spindle housings with blade retainers for maximum commercial durability.

DECK	Used On	Deck Depth	Cutter Housing	Spindle Shaft	Bearings	Bag	Mulch	Discharge Direction	Discharge Chute	Belt Covers
ULTRACUT SERIES 3	Turf Tracer S-Series	5.0"	7.30"	17mm	Sealed, Maintenance-Free	Yes	Yes	Side	Flexible	High-Strength Patented Polymer Belt Covers
	Staris E-Series		7.75"	25mm						
ULTRACUT SERIES 4	Turf Tracer X-Series Vertex S-Series Lazer Z E- & S-Series Lazer Z Diesel	5.5"	7.75"	25mm						
ULTRACUT SERIES 6	Lazer Z X-Series			30mm	Sealed, Maintenance-Free Dual, Double-Row					
ULTRACUT REAR DISCHARGE	Lazer Z S-Series Lazer Z Diesel	5.5"	7.75"	25mm	Sealed, Maintenance-Free Dual, Double-Row	No	Yes	Rear	n/a	High-Strength Patented Polymer Belt Covers
ULTRACUT REAR DISCHARGE W/ FLEX WINGS	Lazer Z X-Series Lazer Z Diesel									Metal
ELECTRIC SERIES 4	Vertex V-Series	5.4"	9.00"	25mm	Sealed, Maintenance-Free	Yes	Yes	Side	Flexible	n/a

BUILT FOR COLLECTING

When it comes to collection systems, there's no 'one size fits all' solution. That's why we engineer our collection systems for the specific needs of your Exmark mower. Whether you need a non-powered bagger for residential use, or a commercial-grade UltraVac powered collection system to power through the toughest lawn clean up, Exmark has you covered.

ULTRAVAC 2- OR 3-BAG COMMERCIAL-GRADE POWERED COLLECTION SYSTEM

Fits: Lazer Z (2-bag only)

- Switch between bag discharge and side discharge with quick-attach
- Less clogging with larger-diameter tubes
- Compact design minimizes trailer space for easy maneuverability
- Dust reduction with sealed hoods
- Two or three UltraVac discharge units (8 or 12 bushels)

ULTRAVAC QUICK DUMP SYSTEM COMMERCIAL-GRADE POWERED COLLECTION SYSTEM

Fits: Lazer Z (excludes Diesel)

- Discharges grass quickly with one simple motion of the release lever
- Features a commercial-grade steel and polyethylene hopper with rear-discharge door (7 bushels or 11 bushels)

3-BUSHEL BAGGER

Fits: Large walk-behinds, stand-ons and most riders

- Lightweight, easy to attach



96-Inch Gas-Powered Lazer Z



UltraVac 2- or 3-Bag



UltraVac Quick Dump System



3-Bushel Bagger



THE ONLY PARTS WORTHY OF BEARING OUR NAME.

Purchase OEM parts from your local dealer or buy online and have parts shipped directly to your shop or home.



PERFORMANCE PRODUCTS
Each specially formulated to maximize the performance and life of our hard-working engines.



GO ORIGINAL
Only Exmark has the expertise and know-how to provide the right parts specifically designed for your machine.

Buy online at Shop.exmark.com

BUILT FOR PERFORMANCE



Product	Power	Deck Size	Deck	Fuel Capacity	Transmission	Ground Speed	Acres Per Hour ¹	Cutting Height	Blade Engagement	Front Casters	Drive Tires	Bag Capacity	Warranty ²
COMMERCIAL 21 X-SERIES	Honda GXV160	21"	2-in-1: Bag and Mulch Single Blade	1 Gallon	Variable Speed	Up to 4.2 mph	.71	1.0" to 4.5" Single-Point, Rear Height Adjust Patented Front Height Adjust System	Zone Start or BBC	n/a	9 x 2.25	2.5-Bushels	1-Year Limited ²
	Kawasaki FJ180V KAI												2-Year Limited ²
COMMERCIAL 21 V-SERIES	Professional Power System 60V 7.5Ah 405Wh Battery and Rapid Charger 2kW Brushless DC Motor			n/a		Up to 3.5 mph	.40 per battery		Zone Start				2-Year Limited ²
COMMERCIAL 30 X-SERIES	Kawasaki FJ180V KAI	30"	3-in-1: Bag, Mulch, Side-Discharge Two Blades	1 Gallon	Variable Speed	Up to 3.8 mph	.92	1.5" to 5.0" Single-Point, Rear Height Adjust Patented Front Height Adjust System	BBC	n/a	10 x 3.0	2.5-Bushels	1-Year Limited ²
	Kohler CV200 Command PRO [®]												2-Year Limited ²



TURF TRACER S-SERIES	18.5 HP ³ Kawasaki FS600V V-Twin	36"	UltraCut™ Series 3	5.0 Gallons	Hydraulic Pump and Wheel Motor	Up to 6.2 mph	1.8	1.5" to 4.5" 0.5" increments	Electromagnetic Clutch	9 x 3.5-4 Semi-Pneumatic	16 x 6.5-8	Optional 3-Bushel Bagger	2-Year Limited ²
	18.5 HP ³ Kawasaki FS600V V-Twin	48"											
TURF TRACER X-SERIES	22 HP ³ Kawasaki FS691V V-Twin	52"	UltraCut Series 4	5.0 Gallons	Hydraulic Pump and Wheel Motor	Up to 6.75 mph	2.83	1.5" to 4.5" 0.5" increments	Electromagnetic Clutch	11 x 4.0-5 Semi-Pneumatic	18 x 8.5-8	Optional 3-Bushel Bagger	2-Year Limited ²
		60"											



STARIS E-SERIES	18.5 HP ³ Kawasaki FS600V V-Twin	32"	UltraCut Series 3	5.0 Gallons	Hydraulic Pump and Wheel Motor	Up to 7.5 mph	1.94	1.0" to 4.5" in 0.25" increments	Electromagnetic Clutch	9 x 4.50-5 Semi-Pneumatic	21 x 7.0-10	Optional 3-Bushel Bagger	4-Year or 750 Hours, Limited No Hour Limit First Two Years ²
		36"											
VERTEX S-SERIES	25 HP ³ Kohler ECV740 Command PRO [®] EFI	48"	UltraCut Series 4	8.0 Gallons	Hydraulic Pump and Wheel Motor	Up to 8.5 mph	3.29	1.5" to 5.0" in 0.25" increments	Electromagnetic Clutch	13 x 5.0-6 Semi-Pneumatic	20 x 10-8	Optional 3-Bushel Bagger	4-Year or 1,250 Hours, Limited No Hour Limit First Two Years ²
		52"											
VERTEX V-SERIES	HyperCell™ 18.4 kWh Battery Pack	52"	Electric Series 4	n/a	Proprietary Electric Drive	Up to 10.0 mph	4.19		Electric	13 x 5.0-6 Semi-Pneumatic	20 x 10-10		

BUILT FOR PERFORMANCE



Product	Power	Deck Size	Deck	Fuel Capacity	Transmission	Ground Speed	Acres per Hour ¹	Cutting Height	Seat	Front Casters	Drive Tires	Non-Powered	Powered	UltraVac 2-Bag	UltraVac 3-Bag	UltraVac QDS	Warranty ²
LAZER Z E-SERIES	20.5 HP ³ Kawasaki FX651V V-Twin	48"	UltraCut™ Series 4	12.0 Gallons	12cc	Up to 8.0 mph	3.10	1.0" to 5.5" in 0.25" increments	Deluxe Adjustable Suspension	13 x 5.0-6 Semi-Pneumatic	23 x 9.5-12			•	•	•	5-Year or 1,250 Hours, Limited No Hour Limit First Two Years ²
	24.5 HP ³ Kawasaki FX751V V-Twin	52"												•	•	•	
	25.5 HP ³ Kawasaki FX801V V-Twin	60"												•	•	•	
LAZER Z S-SERIES	26.5 HP ³ Kohler ECV749 Command PRO EFI	52"	UltraCut Rear Discharge Deck	12.0 Gallons	12cc	Up to 10.0 mph	4.19	1.0" to 5.5" in 0.25" increments	Deluxe Adjustable Suspension with Seat Isolation System	13 x 5.0-6 Semi-Pneumatic	23 x 9.5-12			•	•	•	5-Year or 1,250 Hours, Limited No Hour Limit First Two Years ²
		60"												•	•	•	
		72"												•	•	•	
LAZER Z X-SERIES	25.5 HP ³ Kawasaki FX801V V-Twin	60"	UltraCut Series 6	12.0 Gallons	16cc	Up to 11.5 mph	5.56	1.0" to 5.5" in 0.25" increments	Deluxe Adjustable Suspension with Seat Isolation System	13 x 6.5-6 Semi-Pneumatic	24 x 12-12			•	•	•	5-Year or 1,500 Hours, Limited No Hour Limit First Two Years ²
		72"												•	•	•	
	38 HP ³ Kohler ECV980 Command PRO EFI with RED Technology	96"	UltraCut Rear Discharge w/ Flex Wings											Up to 10.5 mph	8.13		
LAZER Z DIESEL	25 HP ⁴ Yanmar® 3TNV80FT 1.3-Liter Turbo with RED Technology	60"	UltraCut Series 4	12.0 Gallons	Kanzaki KPS-18T	Up to 11.0 mph	5.32	1.0" to 5.5" in 0.25" increments	Premium Suspension w/ Seat Isolation System	15 x 6.0-6 Semi-Pneumatic	26 x 12-12			•	•	5-Year or 1,500 Hours, Limited No Hour Limit First Two Years ²	
		72"	UltraCut Rear Discharge Deck											•	•		
	37 HP ⁴ Yanmar 3TNV88C 1.6-Liter Common Rail with RED Technology	96"	UltraCut Rear Discharge w/ Flex Wings											Up to 12.5 mph	9.68		
	43.5 HP ⁴ Yanmar 3TNV86CT 1.6L Common Rail Turbocharged Diesel with RED Technology	144"	UltraCut Rear Discharge w/ Flex Wings			Up to 10 mph	11.61			•	•						
NAVIGATOR	23 HP ³ Kohler CH730 Command PRO EFI	42"	Full-Floating Fabricated	7.5 Gallons	12cc	Up to 7.0 mph	2.37	1.0" to 4.0" in 0.25" increments	Commercial High Back	8 x 3.0-4 Semi-Pneumatic	18 x 10.5-10						2-Year Limited ²
	25 HP ³ Kohler CH740 Command PRO	48"															

EXMARK MFG. CO., INC.

415 Industrial Row | Beatrice, NE 68310 | 402.223.6300 | www.exmark.com     

¹ Many manufacturers use 100% efficiency ratings for sale purposes. Exmark believes an 80% efficiency rating is more representative of actual mowing conditions, as it allows for turns and overlapping. Formulas for calculating acres per hour: **100% efficiency:** MPH x width of cut ÷ 99 = acres per hour | **80% efficiency:** MPH x width of cut ÷ 124 = acres per hour

² For complete details, visit exmark.com or your local dealer.

³The gross horsepower of these gasoline engines was laboratory rated at 3600 rpm by the engine manufacturer in accordance with SAE J1940 or SAE J2723. As configured to meet safety, emission and operating requirements, the actual engine horsepower on these mowers may be significantly lower.

⁴The gross horsepower of the 3TNV80FT was laboratory rated at 2600 rpm; the 3TNV88C was laboratory rated at 3000 rpm by the engine manufacturer in accordance with SAE J1995. As configured to meet safety, emission and operating requirements, the actual engine horsepower on these mowers may be significantly lower.

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligation. For additional product information including operation manuals, safety materials and warranty details, please visit www.exmark.com or see your dealer for complete details.

Exmark®, Lazer Z®, Metro®, Navigator®, Quest®, Radius®, Staris®, TurfTracer® and Vertex® are registered trademarks. Built For This, UltraVac™ and UltraCut™ are trademarks of Exmark Mfg. Co., Inc. Kohler® and Command PRO® are registered trademarks of Kohler Co. Kawasaki® is a registered trademark of Kawasaki Motors Corp. Vanguard® is a registered trademark of Briggs and Stratton. Oil Guard System™ is a trademark of Briggs and Stratton. Hydro-Gear® is a registered trademark of Hydro-Gear.

© 2023 Exmark Manufacturing Company, Inc. All rights reserved. Printed in the U.S.A. 2023.

146-1229-CA

