


## Machine Serial Plate Locations: Sprayer

Spreader Sprayer 2018-2020 (402,082,300 - 406,294,344)



- 1) Operator Right Side on Frame  
Above Platform Bracket




## Machine Serial Plate Locations: Sprayer

Lean To Stear 2021 & Newer (408,644,346 & Above)



- 1) Operater Left Side on Frame  
Below Pad Bracket



## Machine Serial Plate Locations: Sprayer

Z-Spray Junior, Intermediate & Max 2018 & 2019 (402,082,300 - 406,294,344)



- 1) Junior: Operator Left Hand Side on Frame Below Knee Pad
- 2) Intermediate & Max: Operator Center on Frame Below Knee Pad


\*LT Rich Models

## Machine Serial Plate Locations: Sprayer

Z-Spray Junior, Mid & Max 2020 & 2022 (406,394,345 - 413,950,473)



1) Operator Left Side on Frame  
Above Platform




## Machine Serial Plate Locations: Sprayer


Z-Spray Standard, Mid & Max 2023 & Newer (413,950,474 & Above)



- 1) Standard:  
Operator Front Side Below Knee  
Pad on Frame



- 2) Mid & Max: Operator Front Side  
Below Knee Pad on Frame




## Machine Serial Plate Locations: Aerator

Aerator 21" 2018-2020 (402,082,300 - 408,644,345)



1) Operator Right Side on Frame




## Machine Serial Plate Locations: Aerator

Stand-On Aerator 24" 2018-2020 (402,082,300 - 408,644,345)



- 1) 24":  
Operator Right Side on Frame  
in Front of Tower Base




## Machine Serial Plate Locations: Aerator

Z-Aerate 24" 2021 & Newer (408,644,346 & Above)



- 1) 24":  
Operator Right Side on Frame  
In Front of Tower Base




## Machine Serial Plate Locations: Aerator

Stand-On Aerator 30" 2018-2020 (402,082,300 - 408,644,345)



- 1) 30":  
Operator Right Side on Frame




## Machine Serial Plate Locations: Aerator

Z-Aerate 30" 2021 & Newer (408,644,346 & Above)



- 1) 30":  
Operator Right Side on Frame




## Machine Serial Plate Locations: Aerator

Z-Aerate 40" 2020 & Newer (406,294,345 & Above)



- 1) 30":  
Operator Left Side on Frame  
Above Platform



## Machine Serial Plate Locations: Aerator

Z-Plug 2018-2019 (402,082,300-406,294,344)



- 1) Operator Center on Frame  
Below Knee Pad


\*LT Rich Models

## Machine Serial Plate Locations: Aerator

Z-Aerate 40" 2021 & Newer (408,644,346 & Above)



1) Operator Left Side on Frame  
Above Platform




## Machine Serial Plate Locations: Broom

Rotary Broom 2018-2021 (402,082,300 - 408,644,345)



- 1) Operator Right Front on Frame Behind Engine




## Machine Serial Plate Locations: Broom

Z-Sweep 2022 & Newer (411,294,212 & Above)



- 1) Operator Right Front on Frame Behind Engine




## Machine Serial Plate Locations: Seeder

Slicer Seeder 2018-2020 (402,082,300 - 408,644,34)



- 1) Operator Right Side on Frame  
Next to Tire




## Machine Serial Plate Locations: Seeder

Z-Seed 2021 & Newer (408,644,346 & Above)



- 1) Operator Right Side on Frame  
Next to Tire




## Machine Serial Plate Locations: Sprayer

Spreader Sprayer 2018-2020 (402,082,300 - 406,294,344)



- 1) Operator Right Side on Frame  
Above Platform Bracket




## Machine Serial Plate Locations: Aerator

Aerator 21" 2018-2020 (402,082,300 - 408,644,345)



1) Operator Right Side on Frame




## Machine Serial Plate Locations: Aerator


Stand-On Aerator 24" & 30" 2018-2020 (402,082,300 - 408,644,345)



- 1) 24":  
Operator Right Side on Frame  
in Front of Tower Base



- 1) 30":  
Operator Right Side on Frame  
Above Drive Tire




## Machine Serial Plate Locations: Aerator

Stand-On Aerator 24" & 30" 2018-2020 (402,082,300 - 408,644,345)



- 1) 30":  
Operator Right Side on Frame  
Above Drive Tire




## Machine Serial Plate Locations: Broom

Rotary Broom 2018-2021 (402,082,300 - 408,644,345)



- 1) Operator Right Front on Frame Behind Engine



## Machine Serial Plate Locations: Seeder

Slicer Seeder 2018-2020 (402,082,300 - 408,644,34)



- 1) Operator Right Side on Frame  
Next to Tire

